


ARMY
MEDICAL
LIBRARY
JUN 21 1946


WEEKLY HEALTH REPORT

CURRENT MORBIDITY DATA FOR THE ARMY IN THE CONTINENTAL UNITED STATES


WEEK ENDED 24 MAY 1946

ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED
PER 1000 STRENGTH

DISEASE



INJURY

SPECIAL SECTION
ON
HEALTH CONDITIONS
AND
VENEREAL DISEASE
IN
APRIL 1946

THIS DOCUMENT CONTAINS INFORMATION
AFFECTING THE NATIONAL DEFENSE OF THE
UNITED STATES WITHIN THE MEANING OF THE
ESPIONAGE ACT, 50 U. S. C., 31 AND 32, AS
AMENDED. ITS TRANSMISSION OR THE REVELA-
TION OF ITS CONTENTS IN ANY MANNER TO AN
UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

WEEKLY HEALTH REPORT

CONTENTS

DATA FOR WEEK ENDED 24 MAY 1946

	PAGE
NATURE OF THE DATA	2
COMMENT ON CURRENT TRENDS	5
SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS	11
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS) HAVING A STRENGTH OF 5000 OR OVER	14
STATIONS WITH HIGHEST MORBIDITY RATES	19
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST	20

REVIEW OF HEALTH CONDITIONS IN APRIL 1946

COMMENT ON RECENT DEVELOPMENTS	21
SUMMARY FOR THE ARMY IN THE UNITED STATES AND OVERSEAS THEATRES	22
SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS	39
MORBIDITY DATA FOR INDIVIDUAL STATIONS IN THE UNITED STATES (OTHER THAN GENERAL HOSPITALS)	41
STATIONS WITH HIGHEST MORBIDITY RATES	54
ANALYSIS OF VENEREAL DISEASE MORBIDITY	34
SUMMARY OF VENEREAL DISEASE MORBIDITY IN THE UNITED STATES AND OVERSEAS THEATRES	37
VENEREAL DISEASE MORBIDITY AT STATIONS WITH COLORED STRENGTH OF 1000 OR OVER	59

WEEKLY HEALTH REPORT

NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, WD AGO 8-122, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (!).

MORBIDITY DATA

Admissions are reported only for cases admitted to a medical installation (either to hospital or quarters) and not returned to duty within the same day, except for certain cases carded for record only (chiefly venereal disease cases treated on a duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all "new" traumatisms (i.e., morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, as well as various types of wounds not due to enemy action) other than battle casualties. Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease."

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. It may be noted that under the term infectious hepatitis are included cases reported as jaundice and cholangitis. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The proportion of the average daily strength of the command which is confined to hospital or quarters (including patients evacuated from overseas) is given in the "Year-to-date" section of the summary table. The mean number of noneffectives per thousand strength shown in the weekly section of the summary table includes only patients admitted to hospital or quarters from activities in the Continental United States; these figures, therefore, are noneffective rates for troops stationed in the United States.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Service Commands it should be borne in mind that morbidity rates naturally tend to be higher in those Service Commands which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Service Command (e.g. casualties, task force troops, etc.) affects the interpretation of the data from the viewpoint of Command responsibility.

MORTALITY DATA

Recent studies indicate that the reporting of deaths on WD AGO 8-122 is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 10 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table. It should also be noted that reception, redistribution, and separation centers frequently report relatively large numbers of admissions arising from routine physical examinations of large bodies of troops.

EXPLANATORY MATTER

In reading the detail tables, it should be born in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.

Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (#) is placed after the name of the station.

RESTRICTED

MORBIDITY FROM — ALL CAUSES — INJURY ONLY

CONTINENTAL UNITED STATES



RESTRICTED


OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

MORBIDITY FROM ————— DISEASE

————— COLDS INFLUENZA ETC.

RESTRICTED

CONTINENTAL UNITED STATES



RESTRICTED

COMMENT ON CURRENT TRENDS

MORBIDITY FROM: All Causes: (See page 3.)

Morbidity from all causes during the week ended 24 May decreased, being reported at 564 admissions per 1000 troops per annum, as compared with 591 such admissions during the preceding week.

Injury: (See page 3.)

Injury admissions increased to 37 per 1000 troops per annum; highest rate was that reported from the Fourth Service Command (45 per 1000), ranging down to 28 per 1000 in the Third Service Command.

Diseases: (See opposite page.)

Morbidity from all diseases in the United States as a whole during the week decreased from 556 to 527 admissions per 1000 troops per annum.

Respiratory Diseases:

(See opposite page and pages 6 and 7.)

The rate for colds, influenza, etc. decreased during the week from 107 per 1000 to 90 per 1000. Morbidity from these causes was highest in the Eighth Service Command.

Admissions for all forms of pneumonia remained at 14 per 1000 troops per annum. Highest morbidity (32 admissions per 1000 troops per annum) was reported from the Fourth Service Command; rates ranged downward to 2 per 1000 (only 1 case) in the First Service Command. The rate for pneumonias other than primary atypical remained at 3.5 per 1000 troops per annum. In the corresponding periods of last year, this rate was 3.6 to 3.5 per 1000, while it moved from 3.8 to 3.2 in these weeks of 1944.

Venereal Diseases:

Admissions for "new not-EPTS" venereal diseases decreased slightly during the week from 82 to 79 per 1000 troops per annum.

Other Communicable Diseases:

The rate for scarlet fever was reported at 5.8 admissions per 1000 troops per annum during the current week, as compared with the previous week's rate of 5.4.

The rate for rheumatic fever increased during the week from 3.0 to 3.8 per 1000 troops per annum.

Admissions for streptococcal sore throat decreased during the week from 2.4 to 2.3 per 1000 troops per annum.


MORBIDITY AT TRAINING CENTERS: (See page 13.)

It has long been recognized that most respiratory diseases, common contagious diseases, and streptococcal infections present a more serious problem among men coming into the Army than among troops with comparatively long service. The table on page 13 furnishes a rough measure of this difference, since it shows morbidity at stations at which training centers for recruits are located. Separate totals for all stations having training centers and for stations at which no training centers are located are presented; in addition, totals are shown separately for training centers of the Air Forces, Ground Forces, and Service Forces.


MORBIDITY FROM SELECTED CAUSES — U.S. AND THE SERVICE COMMANDS

ADMISSIONS PER 1000 TROOPS PER YEAR — WEEK ENDED 24 MAY 1946


ALL CAUSES






CURRENT WEEK DISEASE



COLDS, INFLUENZA, ETC. *



CURRENT YEAR TO DATE




* Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis and Influenza.


MORBIDITY FROM SELECTED CAUSES — U.S. AND THE SERVICE COMMANDS

ADMISSIONS PER 1000 TROOPS PER YEAR — WEEK ENDED 24 MAY 1946


VENEREAL DISEASE *






CURRENT WEEK
SCARLET FEVER



RHEUMATIC FEVER



CURRENT YEAR TO DATE



* "NEW" NOT-EPTS

COMMENT ON CURRENT TRENDS (CONT.)

It should be noted that a distinction cannot be made, on the basis of the Statistical Health Report, between those troops at a given station who are undergoing basic training and those who are engaged in other activities. Data must be shown for all troops at stations at which training centers are located; these data, therefore, cannot be said to measure morbidity among trainees alone.

The admission rate for diseases at stations having training centers exceeded that at other stations by 15 per cent; this rate remained about the same during the week at stations having training centers, and decreased by 7 per cent at other stations.

Morbidity from colds, influenza, etc., at stations having training centers, while about 75 per cent higher than that at other stations, decreased by about 15 per cent during the week.

Admissions for pneumonia at training center stations as a whole increased from 30 to 32 per 1000 troops per annum, contrasting sharply with the rate of 6 at other stations.

Morbidity from scarlet fever at stations having training centers increased from 11 to 14 admissions per 1000 troops per annum. The rate for rheumatic fever also increased during the week (4 to 5 admissions per 1000 troops per annum) at stations having training centers.

Venereal disease admissions at stations having training centers increased during the week from 69 to 81 per 1000 troops per annum, the rate for these stations exceeded that reported from other stations. The increase in the training center rate reflected a sharply increased admission rate for these conditions at Fort Bragg, North Carolina.

NONEFFECTIVE RATE: (See page 9.)

The noneffective rate for personnel stationed in the continental United States is estimated at 40.4 per 1000 troops for the week ended 24 May, as compared with 32.9 per 1000 for the corresponding week of 1945.

PATIENTS REMAINING UNDER TREATMENT: (See page 9.)

The number of patients remaining in hospital in the Zone of Interior, including patients transferred from overseas, decreased during the week to 79,057, as compared with 81,877 at the end of the previous week.


The number of neuropsychiatric cases remaining was 5129 or about 200 less than at the end of the previous week. Nonbattle injury patients remaining numbered about 14,700. Battle wounded remaining decreased by about 975 to number 17,104.

CERTIFICATES OF DISABILITY FOR DISCHARGE: (Page 10)

In the week ended 24 May there were 1826 enlisted personnel discharged by CDD (about 100 less than in the previous week). These discharges included 86 accomplished at Air Force medical activities. Among them were 303 neuropsychiatric cases.


NONEFFECTIVE RATE

CONTINENTAL UNITED STATES



PATIENTS REMAINING IN HOSPITAL

CONTINENTAL UNITED STATES



CERTIFICATES OF DISABILITY FOR DISCHARGE

CONTINENTAL UNITED STATES



WEEKLY HEALTH REPORT

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

RESTRICTED

SERVICE COMMAND	MEAN STRENGTH	A D M I S S I O N S																MEAN NUMBER OF NONEFFECTIVES PER 1000 STRENGTH	
		ANNUAL RATE PER 1000 STRENGTH							ANNUAL CASE RATE PER 1000 STRENGTH										
		ALL CAUSES		DISEASE		INJURY			COLDS, INFLU- ENZA, ETC. *		PNEUMONIA (INCL. ATYPICAL)		SCARLET FEVER		VENEREAL (EXCL. EPTI)				
C U R R E N T W E E K C O M P A R E D W I T H P R E V I O U S W E E K																			
	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week**	Previous Week**	
TOTAL UNITED STATES	1174140	1189007	564	591	527	556	37	36	90	107	14	14	6	5	79	82	40	40	
FIRST SERVICE COMMAND	26888	28029	453	564	414	538	39	26	62	74	21	91	0	0	33	46	54	49	
SECOND SERVICE COMMAND	137376	136833	657	684	626	659	31	25	76	102	4	11	2	4	118	112	37	41	
THIRD SERVICE COMMAND	120208	123054	621	701	593	675	28	26	117	171	15	19	10	11	121	105	39	40	
MIL. DIST. OF WASHINGTON	46566	46336	547	510	515	488	32	22	115	135	11	12	61	9	59	63	43	44	
FOURTH SERVICE COMMAND	185742	198341	523	538	478	505	45	33	38	52	32	31	2	3	127	128	47	45	
FIFTH SERVICE COMMAND	89950	92111	559	595	527	552	32	43	87	98	12	11	12	13	49	61	40	39	
SIXTH SERVICE COMMAND	72436	72854	458	472	421	433	37	39	106	99	7	14	6	6	42	39	33	35	
SEVENTH SERVICE COMMAND	77035	76394	541	595	511	564	30	31	110	129	12	10	15	5	48	62	43	45	
EIGHTH SERVICE COMMAND	224621	222332	603	631	561	588	42	43	125	144	18	11	3	2	47	56	39	36	
NINTH SERVICE COMMAND	193328	192723	627	524	490	485	37	39	78	80	4	4	7	5	65	72	38	39	
C U R R E N T Y E A R T O D A T E C O M P A R E D W I T H C O R R E S P O N D I N G P E R I O D P R E V I O U S Y E A R																			
	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year***	Previous Year**	
TOTAL UNITED STATES	1537401	2875702	622	631	590	581	32	50	158	155	16	13	8	2	76	43	79	83	
FIRST SERVICE COMMAND	49078	79624	539	669	511	624	28	45	127	150	9	7	5	1	36	52	140	135	
SECOND SERVICE COMMAND	148363	179718	660	685	634	642	26	43	130	153	12	10	3	2	73	49	99	112	
THIRD SERVICE COMMAND	158006	186955	777	668	749	630	28	38	241	156	20	11	16	2	105	61	64	96	
MIL. DIST. OF WASHINGTON	47664	51285	730	619	704	579	26	40	267	169	26	7	24	1	45	21	76	71	
FOURTH SERVICE COMMAND	300771	701895	560	616	526	559	34	57	109	131	22	14	5	1	115	47	67	72	
FIFTH SERVICE COMMAND	113343	138359	581	644	550	600	31	44	116	190	12	16	9	2	63	49	98	173	
SIXTH SERVICE COMMAND	94348	104981	543	659	513	624	30	35	117	179	17	19	6	7	51	49	118	134	
SEVENTH SERVICE COMMAND	121391	266577	704	588	678	548	26	40	233	148	18	10	18	4	58	42	83	84	
EIGHTH SERVICE COMMAND	257612	693881	627	633	590	577	37	56	192	178	17	17	6	2	62	37	65	58	
NINTH SERVICE COMMAND	248835	472427	578	624	539	573	39	51	127	146	10	8	4	2	63	38	67	74	

WEEKLY HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 21
WEEK ENDING 24 May 1946

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

SERVICE COMMAND	MEAN STRENGTH*	A D M I S S I O N S NUMBER OF CASES												NUMBER OF DEATHS				NUMBER OF DISPOSITIONS BY CDD
		MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	STREPTO- COCCAL SORE THROAT	SCABIES	ALL CAUSES	DISEASE	INJURY	BATTLE CASUALTY	
									IN USA	OUT OF USA								
C U R R E N T W E E K																		
TOTAL UNITED STATES	1174140	141	176	180	9	85	231	85	3	199	46	51	104	55	21	34		1826
FIRST SERVICE COMMAND	26888	2	1			2		3		4	1		3	1	1			78
SECOND SERVICE COMMAND	137376	11	16	6	1	3	9	22		12	6	3	12	9	2	7		312
THIRD SERVICE COMMAND	120208	20	24	22	1	9	30	8		9	8	6	16	3	1	2		79
MIL. DIST. OF WASHINGTON	46566	6	4	5		8	8	2		7	1	1	2	1	1			44
FOURTH SERVICE COMMAND	185742	7	18	8	1	4	108	1		36		1	9	15	4	11		319
FIFTH SERVICE COMMAND	89950	7	8	20		6	11	2	1	13	6		2	1	1			173
SIXTH SERVICE COMMAND	72436	4	12	9	1	5	5	17		15	2	1	2	8	3	5		141
SEVENTH SERVICE COMMAND	77035	9	7	22		18	15	2	1	15	6	18	4	4	3	1		210
EIGHTH SERVICE COMMAND	224621	36	45	11	5	19	41	21	1	61	9	12	30	5	2	3		192
NINTH SERVICE COMMAND	193328	39	41	27		11	4	7		27	7	9	24	8	3	5		278
P R E V I O U S W E E K																		
TOTAL UNITED STATES	1189007	102	168	123	10	68	239	73	7	227	70	54	122	43	18	23	2	1932
FIRST SERVICE COMMAND	28029	1	3			3	5	7		2	1		3	2	1		1	72
SECOND SERVICE COMMAND	136833	7	21	10	1	8	17	21	3	14	6	1	15	2		2		353
THIRD SERVICE COMMAND	123054	19	16	25	2	13	44	2		20	9	8	33	2	1	1		87
MIL. DIST. OF WASHINGTON	46336	5	5	8		8	8	3	1	5			1	1	1			34
FOURTH SERVICE COMMAND	198341	7	16	13	1	8	106	6	1	38	5	1	9	5	2	2	1	336
FIFTH SERVICE COMMAND	92111	7	10	23	1	7	8	8	1	14	4	1	5	5	2	3		223
SIXTH SERVICE COMMAND	72854	5	11	8		3	11	4		14	6		8	5	4	1		110
SEVENTH SERVICE COMMAND	76394	15	12	7	1	10	10	4		6	7	27	11	2	2			184
EIGHTH SERVICE COMMAND	222332	13	39	10	2	4	26	11	1	69	32	16	22	4	3	1		246
NINTH SERVICE COMMAND	192723	23	35	19	2	4	4	7		45			15	15	2	13		278

FORM SG-396C REVISED 2 DEC. 1944

* SEE NATURE OF THE DATA, PAGE 2

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	
FIRST SERVICE COMMAND	26888	453	414	39	62	2?		33	2	1			2		3	1	1		78
Devens, Ft., Mass. 1/	9064	465	436	29?	69	6?		23?	1				1						
Westover Field, Mass.	5823	295	277	18?	54			36?		1			1						
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	12001	520	464	56	61			39	1						3	1	1		78
SECOND SERVICE COMMAND	137376	657	626	31	76	4	6	118	11	16	6	1	3	9	22	9	2	7	312
Dix, Ft., N. J. 1/	40065	716	707	9	43	6?		100					1	5	2				12
Kilmer, Cp., N. J.	43828	639	625	14	58	1?		215	4	7	2				3	1	1		8
Mitchel Field, N. Y.	5061	462	452	10?	31?			41?							4				4
Monmouth, Ft., N. J.	10604	686	642	44	280	15?	15?	64	3	3	3		1	3	2				1
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	37818	634	561	73	81	1?	17	52	4	6	1	1	1	1	11	8	1	7	287
THIRD SERVICE COMMAND	120208	621	593	28	117	15	2?	121	20	24	22	1	9	30	8	3	1	2	79
Aberdeen Prov. Grd., Md. 1/	23267	670	639	31	210	11?		87	8	9	4		1	5	3				1
Eustis, Ft., Va. 1/	15990	1005	972	33	257	26		182	5	5	1			5	2	1		1	
Geo. G. Meade, Ft., Md.(RH) 1/	19948	524	495	29	16	16	10?	175	2					6	3				14
Lee, Cp., Va. (RH) 1/	34757	522	516	6?	76	21		138	3	7	15	1	6	12		1		1	9
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	26246	547	497	50	81	4?	2?	50	2	3	2		2	2		1	1		55

FORM SG-945 11 DEC. 1944

RESTRICTED

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

1/ ARMY SERVICE FORCES TRAINING CENTER.
2/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

VOLUME VI REPORT NO. 21
WEEK ENDING 24 May 1946

WEEKLY HEALTH REPORT INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES							ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
MILITARY DISTRICT OF WASH.	46556	547	515	32	115	11	1?	59	6	4	5		8	8	2	1	1		44
Belvoir, Ft., Va. 1/ (RH)	20118	636	613	23	165	23		90	5	3	4		8	7	1				10
Washington Gen. Disp., D.C.	7366	191	177	14?	64		7?								1				
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	19072	592	543	49	82	3?		49	1	1	1			1		1	1		34
FOURTH SERVICE COMMAND	185742	523	478	45	38	32	3	12?	7	18	8	1	4	108	1	15	4	11	319
Benning, Ft., Ga. (RH)	20704	616	568	48	63	5?	8?	198	2	2			1			2	1	1	2
Bragg, Ft., N.C. 3/ 4/ (RH)	28770	515	486	29	31	2?		197	2	2			1	1					5
Greensboro AAFORD, N.C.	10128	411	375	36		5?	10?	103	1				1	1	1				1
Jackson, Ft., S.C.	9755	416	395	21?	16?			283											1
Keesler Field, Miss. 2/ (RH)	18070	388	348	40	49	101		29		2	4			35		1	1		9
McClellan, Ft., Ala. 3/ (RH)	25974	641	599	42	62	136	8?	68		2	4			67					22
McPherson, Ft., Ga. 4/	8599	683	635	48	36	12?	6?	115	1	2			1	2					4
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	53742	500	442	58	31	3?	1?	104	1	8		1		2		12	2	10	275

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

1/ ARMY SERVICE FORCES TRAINING CENTER. 2/ ARMY AIR FORCES BASIC TRAINING CENTER.
2/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER. 4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
FIFTH SERVICE COMMAND	89950	559	527	32	87	12	3?	49	7	8	20		6	11	2	1	1		175
Atterbury, Cp., Ind. 4/	17659	675	651	24	53	3?		44		1					1				
Campbell, Cp., Ky. (RH)	18229	405	379	26	6?			40											3
Dayton, Ohio, AAF Tech Base	8369	391	354	37	62			56	2										
Knox, Ft., Ky. (RH) 3/	26584	673	625	47	209	33	10?	33	4	6	20		6	9					1
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	19109	514	490	24	35	5?		82	1	1				2	1	1	1		169
SIXTH SERVICE COMMAND	72436	458	421	37	106	7	1?	42	4	12	9	1	5	5	17	8	3	5	141
Chanute Field, Ill. (RH)	9511	449	405	44	164	11?		27?			2	1	2	2					
McCoy, Cp., Wis.	7320	334	327	7?	14?			43								1	1		1
Scott Field, Ill. (RH)	19563	593	542	51	221	5?		56	2	9	5								1
Sheridan, Ft., Ill. (RH) 4/	16948	346	334	12?	43	6?	3?	18		2	1			2	2				4
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	19094	469	417	52	52	11?		57	2	1	1		3	1	15	7	2	5	155

FORM 56-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.

4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

VOLUME VI REPORT NO. 21
WEEK ENDING 24 May 194 6

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES							ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
SEVENTH SERVICE COMMAND	77035	541	511	30	110	12	1?	48	9	7	22		18	15	2	4	3	1	210
Buckley Field, Colo. (RH)	7677	1220	1159	61	298			47	8	2	6		4			1	1		9
Crowder, Cp., Mo. (RH) 1/	6591	289	253	16?	126	103		24?			10		9	13					75
Jefferson Bks., Mo. 4/	5588	410	391	19?	47?			37?											1
Leavenworth, Ft., Kans. 4/	10253	583	568	25?	36			66	1		1		1						5
Lowry Field, Colo.	7986	475	423	52	104	7?	7?	13?			1			1					
Smoky Hill AAP, Kans. (RH)	5466	304	286	38?	19?			38?		1	1		1						
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	33474	503	480	23	113	6?	2?	59		4	3		3	1	2	3	2	1	120
EIGHTH SERVICE COMMAND	224621	603	561	42	125	18	2	47	36	45	11	5	19	41	21	5	2	3	192
Amarillo AAP, Texas (RH)	10708	995	942	53	432	24?		29	11	4	3		1	2					4
Bliss, Ft., Texas 3/ 4/	16864	697	691	6?	234	3?	6?	40	5	3	1	3							
Chaffee, Cp., Ark. 4/	6498	440	400	40?	32?	32?		72	1					4		1	1		1
Hood, Cp., Texas	15404	476	429	47	71	7?		47		1				2	1				4
Jos.T.Robinson, Cp., Ark. (RH) 3/	13479	563	490	73	177			23	2	1			1		2	2		2	5
Polk, Cp., La. 1/	25829	755	689	66	64	6?		32	4	14				1		1		1	
San Houston, Ft., Texas 1/ 4/	23654	455	431	24	64	11?		70		3				5	1				
(RH)																			
San Antonio AAP, Texas (CH)	24880	774	755	19	201	15	2?	27	1	8			6	2	2				35
Sheppard Field, Texas (RH) 2/	18563	709	670	39	188	95		48	9	5	5			18					4
Sill, Ft., Okla.	6411	455	390	66	49	8?	8?	49	2	1				1					
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	62331	479	431	48	61	14	5	61	1	5	2	2	11	6	15	1	1		139

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

1/ ARMY SERVICE FORCES TRAINING CENTER.
2/ ARMY AIR FORCES BASIC TRAINING CENTER.
3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.
4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

RESTRICTED

VOLUME VI REPORT NO. 21
WEEK ENDING 24 May 1946

STATIONS WITH STRENGTH OF 5000 OR OVER

STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK
ALL CAUSES ANNUAL ADMISSION RATE PER 1000			DISEASE ANNUAL ADMISSION RATE PER 1000			MEASLES ANNUAL ADMISSION RATE PER 1000		
Buckley Field, Colo.	1220	1335	Buckley Field, Colo.	1159	1259	Buckley Field, Colo.	54	41
Eustis, Ft., Va. 1/	1005	1197	Eustis, Ft., Va. 1/	972	1160	Amarillo AAF, Texas	53	10?
Amarillo AAF, Texas	995	963	Amarillo AAF, Texas	942	937	Sheppard Field, Texas 2/	25	0
Lawton, Ft., Wash.	900	649	Lawton, Ft., Wash.	853	603	Lewis, Ft. Wash. 1/ 4/	22	16
San Antonio AAF, Texas	774	858	San Antonio AAF, Texas	755	856	Aberdeen Prov. Grd., Md. 1/	18	17
Polk, Cp., La. 1/	755	754	Dix, Ft., N. J. 4/	707	676	Stoneman, Cp., Calif.	11	8?
Dix, Ft., N. J. 4/	716	677	Bliss, Ft., Tex. 3/ 4/	691	837	NO OTHER STATIONS WITH SIX OR MORE CASES		
COLDS, INFLUENZA, ETC.* ANNUAL ADMISSION RATE PER 1000			PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000			SCARLET FEVER ANNUAL ADMISSION RATE PER 1000		
Amarillo AAF, Tex.	432	468	McClellan, Ft., Ala. 3/	136 (134)**	134 (132)**	Crowder, Cp., Mo. 1/	79	6?
Geiger Field, Wash.	309	492	Crowder, Cp., Mo. 1/	103 (103)	36 (30?)	Buckley Field, Colo.	41	14?
Buckley Field, Colo.	298	378	Keesler Field, Miss. 2/	101 (101)	97 (73)	Knox, Ft., Ky. 3/	39	40
Monmouth, Ft., N. J.	280	315	Sheppard Field, Tex. 2/	95 (50)	43 (5?)	Lewis, Ft., Wash. 1/ 4/	29	19
Eustis, Ft., Va. 1/	257	332	Knox, Ft., Ky. 3/	33 (18)	36 (14)	Lee, Cp., Va. 1/	22	10
Bliss, Ft., Tex. 3/ 4/	234	234	Eustis, Ft., Va. 1/	26 (16?)	37 (37)			
Scott Field, Ill.	221	152	Belvoir, Ft., Va. 1/	23 (18)	26 (21)	NO OTHER STATIONS WITH SIX OR MORE CASES		
VENEREAL (EXCLUDING EPTI) ANNUAL ADMISSION RATE PER 1000			INJURY ANNUAL ADMISSION RATE PER 1000					
Jackson, Ft., S. C.	283	352	Kearns AAF, Utah	74	31			
Lawton, Ft., Wash.	221	161	Jos. T. Robinson, Cp., Ark. 3/	73	87			
Kilmer, Cp., N. J.	215	228	Geiger Field, Wash.	70	123			
Benning, Ft., Ga.	198	248	Polk, Cp., La. 1/	66	63			
Bragg, Ft., N. C. 3/ 4/	197	62	Sill, Ft., Okla.	65	78			
Eustis, Ft., Va. 1/	182	213	Buckley Field, Colo.	61	76			
Geo. G. Meade, Ft., Md. 4/	175	132	Amarillo AAF, Tex.	53	26 ?			

FORM SG-396E Rev. 24 April 1946

RESTRICTED

*Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis, Acute Catarrhal Laryngitis and Influenza.

**Figures in parentheses are rates for atypical pneumonia only.
1/ ARMY SERVICE FORCES TRAINING CENTER. 4/ PERSONNEL CENTER.
2/ ARMY AIR FORCES BASIC TRAINING CENTER.
3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

RESTRICTED

LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

FORM SG-902 - 8 July 1944

COMMENT ON RECENT DEVELOPMENTS

NATURE OF THE DATA:

Data for the continental United States in this Monthly Report, like those in the Weekly Health Reports, have been taken from WD AGO Form 8-122 rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary. However, unlike the Weekly Health Reports which are compiled on the basis of the figures as received, so as to place the information in circulation at the earliest possible time, the figures here presented for the four-week period ended 26 April 1946 include the great majority of the corrected reports as well as reports received too late to be incorporated in the Weekly Health Report.

Data for the Army overseas are based on consolidations of WD AGO Forms 8-122 from units in each theatre prepared by theatre headquarters and forwarded to The Surgeon General each week.

Summary tables on pages 22 and 23 present data for the Army as a whole and for the various areas in which troops were serving in March and April. While March figures in these tables are based on WD AGO Forms 8-122 received from theatres, April material for the Western Pacific has been estimated on the basis of weekly radiographic Statistical Health Reports; figures for the Army as a whole in April must also, therefore, be regarded as tentative.

This report details morbidity and mortality data for all individual stations in the United States with an average strength of 1000 or over. In addition, detailed tables showing incidence of the venereal diseases at stations in the United States where the average colored strength was 1000 or more are presented.

In reading the detailed tables, it should be borne in mind that morbidity (or mortality) rates based on small numbers of cases are not reliable. For this reason the symbol "?" has been placed after rates computed on the basis of 5 or fewer cases. Attention is invited to the definitions of admissions and admission rates and the discussion of the proportion of total Army strength included in the stations covered by this report as given on page 2. The term "month" in this report is used to denote the four- or five-week period based on the number of Fridays in the calendar month.

MORBIDITY FROM ALL CAUSES, DISEASE, AND INJURY:
(See chart on page 24.)

The admission rate for all causes for the Army in the continental United States decreased to 605 during April from 652 in the previous month. The rate for diseases moved from 621 to 569 per 1000 per annum, while that for injuries rose from 31 in March to 36 in April.

Highest morbidity both from diseases and from injuries prevailed in the China-Burma-India area in March, while high disease rates were reported from the Mediterranean Theatre and from Japan. Highest disease admission rate in April was reported by the Mediterranean Theatre. Admission rates from injury continue higher in each of the overseas areas than in the United States.

Disease admission rates decreased during April in all service commands except the Second, where the April rate was 4 per cent above that reported in March.

MORBIDITY AND MORTALITY IN THE UNITED STATES AND OVERSEA THEATRES

MARCH 1946

VOLUME VI REPORT NO. 21

AREA	MEAN STRENGTH**	ADMISSIONS PER 1000 TROOPS PER YEAR																				NUMBER OF NEUROPSYCHIATRIC CASES				DEATHS PER 1000 TROOPS PER YEAR					
		ALL CAUSES	DISEASE	INJURY	COLDS INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPTS)*	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	M*COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	VENEREAL*					ADMITTED		REMAINING AT END OF MONTH		ALL CAUSES	DISEASE	INJURY
																	IN USA	OUT OF USA		GONORRHEA EXCL. EPTS	SYPHILIS EXCL. EPTS	OTHER VENEREAL EXCL. EPTS	TOTAL VENEREAL EPTS	PSYCHIATRIC	ORGANIC NEUROLOGICAL	OPEN WARDS	LOCKED WARDS				
TOTAL ARMY	2431153	713	670	43	160	14.4	4.7	121.2	17.6	11.1	8.8	9.9	.7	2.1	10.1	5.5	.1	13.4	3.3	99.2	14.4	7.6	3.0	3526	598	5507	2416	2.14	.87	1.24	
ARMY IN UNITED STATES	1469344	652	621	31	177	17.3	2.9	82.2	21.1	14.1	11.3	14.7	.8	2.7	11.7	3.9	.2	8.2	4.8	65.6	13.9	2.7	5.0	2536	456	4967	2240	2.12	1.13	.93	
ARMY OVERSEAS	961808	809	746	63	135	9.9	7.5	180.8	12.2	6.4	5.0	2.7	.6	1.1	7.6	7.9		21.2	1.0	150.4	15.3	15.1		990	142	540	176	2.18	.48	1.70	
European	401034	862	802	60	153	8.8	3.4	217.3	8.6	8.1	7.2	3.8	.8	1.8	6.4	9.0		.6	.4	188.9	23.7	4.7		326	4	113	31	2.99	.60	2.39	
Mediterranean	49019	1023	962	61	145	11.0	5.3	225.4	10.4	4.2	1.9	1.5		.6	10.8	9.5		2.1	.4	184.8	27.2	13.4		49		13	18	1.70	.21	1.49	
Western Pacific	392557	811	745	66	130	11.6	9.3	176.2	16.3	4.8	3.2	2.0	.6	.7	9.1	7.8		49.1	1.1	141.5	7.7	27.0		480	135	377	77	1.70	.40	1.30	
Japan	181674	1027	949	78	208	8.6	6.4	240.8	12.3	2.3	1.8	1.1	.7	1.4	5.4	9.0		47.9	.5	193.9	10.5	36.4		198	17	69	19	1.49	.46	1.03	
Korea	50264	715	646	69	102	12.0	4.3	41.8	10.2	17.2	13.0	10.1	1.2	.6	10.3	6.8		46.1	1.0	35.6	4.3	1.9		48	1	12	5	2.06	1.03	1.03	
Philippines	120561	684	627	57	65	19.6	17.5	187.4	25.3	2.9	.7	.1	.1		15.9	8.9		52.9	2.5	151.1	5.7	30.6		191	102	266	69	2.25	.52	1.73	
Ryukyu	35684	276	221	55	21	4.2	3.2	4.7	13.7	.3	1.5				4.2	.6		42.8		3.2	1.5			37	17	26	1	.29		.29	
Other	2563	487	450	37	16		40.6	12.2										32.5	8.1	12.2											
China-Burma-India	23819	1100	1003	97	188	7.4	59.4	170.3	9.6	1.3	.4	.4			3.5	10.5		11.4	1.3	100.0	16.2	54.1		20	2	3	3	.44		.44	
Alaska	12757	518	445	73	108	4.0	1.6	7.3	13.0	24.5	13.9	6.5			3.3				1.6	7.3				15	1		3	.82	.82		
Other North America	4246	490	426	64	149	2.4		26.9	2.4	4.9				4.9				2.4		26.9				1							
Latin America	32994	453	407	46	54	4.7	9.5	43.9	12.9	11.0	9.8	.6		.3	1.9	2.2		4.4	1.9	34.4	7.9	1.6		41		14	19	1.58		1.58	
Africa-Middle East	4928	409	348	61	70	21.1	29.5	52.8	4.2						16.9	19.0		2.1		40.1	10.6	2.1		2				4.22		4.22	
Middle Pacific	40454	285	241	44	46	10.5	2.1	14.2	14.4	2.3	1.8	1.5	.8	.5	9.3	2.1		9.0	6.4	8.5	4.9	.8		56		20	25	1.28	.77	.51	

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

** SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

MORBIDITY AND MORTALITY IN THE UNITED STATES AND OVERSEA THEATRES

APRIL 1946

VOLUME VI REPORT NO. 21

AREA	MEAN STRENGTH**	ADMISSIONS PER 1000 TROOPS PER YEAR																				NUMBER OF NEUROPSYCHIATRIC CASES				DEATHS PER 1000 TROOPS PER YEAR						
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPS)*	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	VENEREAL*					ADMITTED		REMAINING AT END OF MONTH		ALL CAUSES	DISEASE	INJURY	
																	IN USA	OUT OF USA		GONORRHEA EXCL. EPS	SYPHILIS EXCL. EPS	OTHER VENEREAL EXCL. EPS	TOTAL VENEREAL EPS	PSYCHIATRIC	ORGANIC NEUROLOGICAL	OPEN WARDS	LOCKED WARDS					
Total Army ***	2207496	681	633	48	119	12.8	3.8	119.9	17.5	7.2	9.1	8.2	.5	2.9	9.0	5.1	.2	74.0	2.2	99.6	13.1	7.2	3.5	2557	109					210	.79	1.27
Army in U. S.	1292096	605	569	36	121	15.3	2.3	85.4	21.9	8.8	10.6	12.4	.4	1.3	10.3	3.6	.3	8.9	3.2	62.7	13.1	2.6	6.0	1680	297	1281	184			193	1.04	.84
Army Overseas ***	915400	787	723	64	117	9.2	5.9	168.7	11.2	5.1	7.1	2.2	.5	1.0	7.2	7.2		21.2	1.0	14.8	13.2	13.7		677	112					231	.44	1.87
Europe	373003	840	774	66	137	9.3	2.6	208.6	7.6	6.9	12.2	3.5	.5	1.4	6.1	5.8		1.2	.8	185.5	19.7	3.4		215	4	170	59			334	.52	2.82
Mediterranean	48395	1071	1004	67	85	20.7	9.1	199.5	4.3	5.9	2.4	.3	.8	1.1	20.7	16.4		.3	1.1	155.8	27.9	15.8		16		6	19			1.35	.54	.81
Western Pacific ***	391750	769	706	63	116	8.3	6.4	157.9	16.3	3.7	2.4	1.6	.5	.6	6.9	8.7		45.3	.8	127.1	6.4	24.4		384	108					143	.30	1.23
Japan	173414	861	786	75	159	7.4	5.2	215.4	10.4	2.2	6.7	2.0	.7	.6	4.4	8.1		42.7	.4	173.4	10.5	3.5		126	14	66	9			2.10	.30	1.80
Korea	5482	700	634	66	91	10.4	3.8	41.1	9.9	19.4	31.5	16.4		4.3	7.6	6.9		27.7		38.2	1.7	1.2		41	1	15	7			1.66	.47	1.19
Philippines																																
Ryukyu																																
Other																																
China-Burma-India	14285	958	892	66	120	10.9	4.1	175.7	5.5		4.6	1.8	1.8		5.5	7.3		17.3	.9	97.4	22.8	55.5		6		2				.36		.36
Alaska	12232	618	554	64	89	1.1	1.1	4.2	8.5	9.6	10.4	3.2								2.1	2.1			8		1	3			2.12	1.06	1.06
Other North America	4240	490	420	64	149	2.4		26.9	2.4	4.9				4.9				2.4		26.9				1								
Latin America	31338	536	479	57	47	6.2	12.4	44.0	6.6	2.9	2.5	.4		1.2	5.4	.8		2.5	1.2	34.4	7.1	2.5		16						2.07	.83	1.24
Africa-Middle East	3248	524	444	80	84	20.0	48.0	44.0	4.0						20.0	16.0				32.0		12.0		1						8.00		8.00
Middle Pacific	36903	332	268	64	50	8.1	4.0	22.9	10.6	2.1	7.4	.4			7.4	1.4		23.3	3.9	13.7	6.7	2.5		30		20	21			2.11	.70	1.41

FORM SG-490 REV. 3 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.) ** SEE NATURE OF THE DATA, PAGE 2.

*** Estimated on the basis of radiographic Statistical Health Report from Western Pacific

RESTRICTED


ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

MORBIDITY FROM ——— ALL CAUSES ——— DISEASE

—— INJURY ——— COLDS, INFLUENZA, ETC.

CONTINENTAL UNITED STATES

ADMISSIONS PER 1000 TROOPS PER YEAR



COMMENT ON RECENT DEVELOPMENTS (CONT.)

The admission rate for injury increased sharply during the month in the Fourth, Fifth, and Sixth Service Commands; highest morbidity was reported by the Ninth Service Command, with a rate of 39 per 1000.

MORTALITY:

Death rates for diseases based on the Statistical Health Report decreased in April both in the United States and in the Army overseas; the death rate from injuries in the overseas theatres as a whole, however, moved upward. (Recent disease death rates in the United States are higher than those reported in earlier periods; this is due to some extent to the fact that patients remaining in hospital for such conditions as tuberculosis now constitute a larger proportion than formerly of the total number of troops in this country.)

In the United States, deaths from injury reported on WD AGO Form 8-122 have been about 10 per cent less than those reported on Individual Medical Records; for the Army in overseas theatres disease deaths reported on the Statistical Health Report have been 10 per cent less than those on Individual Medical Records, and injury deaths 35 per cent less.

RESPIRATORY DISEASES: (See chart on page 24.)

During April the admission rate for common respiratory diseases in the United States decreased from 177 per 1000 to 121. A rate of 122 per 1000 was reported for April 1945, while the rate in the same month of 1944 was 160 per 1000.

DIARRHEA AND DYSENTERY:

Morbidity from diarrhea and dysentery fell from 2.9 per 1000 in March to 2.3 in April, the rates continuing much lower than those reported in the same periods last year. Only the First Service Command reported a rate in excess of 4 per 1000 per annum. High rates are observed in the Mediterranean Theatre and CBI for these causes; the rate for the Army overseas decreased more rapidly in April than did that for troops in the United States, but the overseas rate continues higher.

Morbidity from all forms of pneumonia in the United States decreased from 17.4 per 1000 in March to 15.3 in April, as compared with 11.4 in April of last year, and 13.5 in 1944. Increases in these rates were observed in the First and Third Service Commands.


Highest morbidity prevailed in the Third Service Command, where an admission rate of 224 per 1000 troops per annum was developed; rates ranged downward to 63 admissions per 1000 troops per annum in the Fourth Service Command. Decreases were reported from all service commands.

Morbidity from atypical primary pneumonias in the United States as a whole decreased from 11.7 admissions per 1000 troops per annum in March to 10.3 in April, although increases are noted in the First, Third, and Seventh Service Commands.

Admission rates for pneumonia higher than that in the United States were reported from the Mediterranean Theatre and the Africa-Middle Eastern area. However, morbidity from pneumonia in the Army overseas as a whole was below that experienced here.


MORBIDITY FROM SELECTED DISEASES

CONTINENTAL UNITED STATES
ADMISSIONS PER 1000 TROOPS PER YEAR



MORBIDITY FROM SELECTED DISEASES

CONTINENTAL UNITED STATES
ADMISSIONS PER 1000 TROOPS PER YEAR



COMMENT ON RECENT DEVELOPMENTS (CONT.)

INFECTIOUS HEPATITIS:

Morbidity from infectious hepatitis in the United States was 3.6 per 1000 in April, as compared with 3.9 in March. In the overseas theatres as a whole, admissions for this disease numbered 7.6 per 1000 troops per annum in March, and are estimated at 7.2 per 1000 in April.

MEASLES:

Morbidity from measles in the United States decreased from 14 admissions per 1000 troops per annum in March to 8.8 such admissions in April. In April of last year the admission rate for measles was 2.4 per 1000 per annum, while in April of 1944 the rate was 6.6 per 1000.

MUMPS:

Morbidity from mumps in the United States decreased from 11.3 per 1000 in March to 10.6 during April.

SCARLET FEVER:

Morbidity from scarlet fever in the United States was reported at 12.4 per 1000 in April, as compared with 2.1 in April of last year, and 3.6 in 1944. The Third Service Command reports the highest rate of 32.1 per 1000, while the lowest rate of 3.3 is noted in the Second Service Command.

MENINGOCOCCIC MENINGITIS:

Morbidity from meningitis in the United States was reported at 0.4 per 1000 in April, the admission rate in overseas theatres averaged 0.5 per 1000.

RHEUMATIC FEVER:

Morbidity from rheumatic fever in the United States increased to 4.3 per 1000, from 2.8 in March. The Seventh Service Command reported the highest morbidity from this cause (11.7 per 1000).

TUBERCULOSIS:

Morbidity from tuberculosis in the United States was reported at 3.2 per 1000 in April, as compared with 4.8 in March. The current relatively high level arises in large part as the result of examinations at separation centers which tend to uncover cases which otherwise would be undetected. High rates for this disease were reported from the Middle Pacific Area both in March and April.

As of 26 April there were 3732 cases of tuberculosis remaining under treatment in hospitals in the United States. Of the total cases, 1149 were at Fitzsimons General Hospital, 840 at Bruns General Hospital, and 1319 cases at Moore General Hospital.

COMMENT ON RECENT DEVELOPMENTS (CONT.)

MALARIA:

Morbidity from malaria acquired inside the United States was reported at 0.3 per 1000 in April. The number of cases presumably acquired outside the United States, which were admitted (or readmitted) for treatment in this country averaged about 221 a week. In overseas theatres in March and April the admission rate for malaria was 21 per 1000 troops per annum; morbidity was relatively high in all parts of the Western Pacific areas.

NEUROPSYCHIATRIC DISORDERS:

The annual rate of admission for neuropsychiatric disorders in the United States increased slightly, from 21.2 in March to 21.9 per 1000 in April. In overseas theatres, this rate was about 12 in March and April; only in the Philippines was the rate higher than that in the United States.

During April an average of 428 CDD's a week were given to enlisted men classified as neuropsychiatric cases; the weekly average for March was 528 such CDD's. CDD's in April for men with neuropsychiatric disorders represented 20 per cent of all CDD's, as compared with 19 per cent in March.

NONEFFECTIVE RATE:

The estimated noneffective rate for Army personnel stationed in this country was about 42 per 1000 in April, as compared with 43 per 1000 reported for March.

ADMISSIONS TO HOSPITAL AND TO QUARTERS AND DISPENSARY:

"Admissions" entered on WD AGO Form 8-122 include not only all Army personnel admitted to a medical installation and not returned to duty within the same day, but also certain cases which have been "carded for record only" (deaths among Army personnel not currently under Army medical care, CDD's among personnel not currently excused from duty, and cases of venereal disease treated on an outpatient status which have not previously been treated for the same current condition by an Army medical installation as an Army case).

During April, of some 60,200 admissions entered on the forms, about 5600 were carded for record only. Of the 54,600 patients excused from duty, 48,800 were hospitalized immediately upon reporting themselves sick or after a period of treatment in quarters or dispensary, while the remaining 5800 patients were excused from duty in quarters or dispensary, but were not hospitalized during the month.

Rates of admission to hospital for the Army in the United States and overseas for four months of 1946 are presented in the following table:


ADMISSIONS TO HOSPITAL PER 1000 TROOPS PER ANNUM-1946

<u>U.S.</u>	<u>Jan</u>	<u>Feb</u>	<u>Mar</u>	<u>Apr</u>
All Causes	561	546	557	490
Disease	532	518	529	458
Injury	29	28	28	32
<u>Overseas</u>				
All Causes	755	771	809	
Disease	687	708	746	
Injury	68	63	63	

MORBIDITY FROM VENEREAL DISEASES

TOTAL ARMY

CONTINENTAL UNITED STATES
ADMISSIONS PER 1000 TROOPS PER YEAR




MORBIDITY FROM VENEREAL DISEASES

ALL OTHER PERSONNEL THAN COLORED MALES

CONTINENTAL UNITED STATES

ADMISSIONS PER 1000 TROOPS PER YEAR




MORBIDITY FROM VENEREAL DISEASES

COLORED MALES


CONTINENTAL UNITED STATES

ADMISSIONS PER 1000 TROOPS PER YEAR



RESTRICTED

"NEW" VENEREAL DISEASES
— WHITE TROOPS —
ADMISSIONS PER THOUSAND TROOPS PER ANNUM



RESTRICTED

ANALYSIS OF VENEREAL DISEASE DATA

ANALYSIS OF MORBIDITY FROM VENEREAL DISEASES:


The term "admissions" as applied to venereal diseases in this report includes not only cases "excused from duty" for at least one day (that is, remaining in a medical activity at midnight on the day of admission), but also cases treated on a duty status ("carded for record only"). Cases of other diseases are, in general, reported as "admissions" on WD AGO Form 8-122 only when excused from duty.

During March in the United States about 7100 cases of venereal disease, or 61 per cent of the reported venereal disease "new not-EPTS" admissions, were carded for record only; in April, about 5600 cases (again 61 per cent of the reported "new not-EPTS" admissions) were treated on a duty status. (Since very few, if any, cases of syphilis are treated on a duty status, carded-for-record-only cases include only personnel suffering from gonorrhea and other venereal diseases. Carded-for-record-only cases in March and April represented over 75 per cent of the reported admissions for these causes.)

The average number of EPTS cases of venereal disease admitted a week in April was 148. The chart on page 35 relates the number of white and colored inductees with venereal diseases to the total number of inductees.

The tables on pages 37 and 38 summarize morbidity from the venereal diseases in March and April in the Army as a whole, the Army in the United States, and in the overseas theatres. April data for the Western Pacific area has been estimated on the basis of radiographic Statistical Health Reports; however, WD AGO Forms 8-122 have been received from Japan and Korea.

NONEFFECTIVENESS
DUE TO VENEREAL DISEASE
MEAN DAILY NONEFFECTIVE RATE PER 1000
CONTINENTAL UNITED STATES



ANALYSIS OF VENEREAL DISEASE DATA


Morbidity from venereal diseases, as measured in terms of admissions of "new"—not EPTS cases per 1000 troops per annum, remained substantially unchanged in April for the Army as a whole (the April estimated rate of 119 being slightly below the reported rate of 121 for March.) However, morbidity from these causes in the Army overseas as a whole moved downward in April, reflecting decreases in the European and Mediterranean theatres and in Japan. The rate in the United States moved upward, morbidity in April being 4 per cent above that reported in March; morbidity among white troops, however, decreased in April to 93 per cent of the March rate, so that the overall increase is chargeable to a relatively sharp rise in the incidence rate among colored troops. In overseas theatres as a whole, the rate for colored troops in March was 6 times the rate for white troops; in the United States, the rates were much further apart, that for colored troops being 13 times the white rate in March, 15 times the white rate in April.

In the United States, the average daily number of personnel not performing duty because of a venereal disease in April was 1.03 per 1000 troops—0.45 per 1000 white troops, 6.42 per 1000 colored troops. These rates are below those reported in March.

The chart on page 31 shows monthly incidence of "new"—not EPTS venereal diseases among white troops in the service commands since January 1944, and furnishes a basis for comparing the level of morbidity in each service command with that for the United States as a whole.


The group of charts on page 36 presents a comparison of venereal disease incidence in the Army and Navy in this country. Army incidence is divided into two groups, one for troops at Air Forces stations, and one for troops at other stations.

VENEREAL DISEASES AMONG INDUCTEES
"EPTS" CASES PER 1000 INDUCTEES




INCIDENCE OF VENEREAL DISEASES ("NEW," NOT EPTS) - CONTINENTAL UNITED STATES

ALL PERSONNEL - U. S. NAVY,* ALL ARMY TROOPS, AND ARMY AIR FORCES



BY COLOR - U. S. NAVY,* ARMY AIR FORCES, AND OTHER ARMY TROOPS



*U.S. NAVY AND MARINE CORPS PERSONNEL AT "NAVAL" ACTIVITIES (Activities not under Marine Corps Command) IN THE CONTINENTAL UNITED STATES. NAVY RATES ARE COMPUTED FOR CALENDAR MONTHS, ARMY RATES FOR FOUR OR FIVE WEEK PERIODS (See NATURE OF THE DATA).

**DATA ARE NOT AVAILABLE

SUMMARY OF VENEREAL DISEASE ADMISSION RATES[†]

RESTRICTED

VOLUME VI REPORT NO. 21
FOR THE 5 WEEK PERIOD ENDING 29 March 1946

UNITED STATES AND THE SERVICE COMMANDS	EXCLUDING EPTS CASES *												TOTAL EPTS CASES			ARMY OVERSEAS AND THE THEATRES	EXCLUDING EPTS CASES *												TOTAL EPTS CASES		
	TOTAL			SYPHILIS			GONORRHEA			OTHER							TOTAL			SYPHILIS			GONORRHEA			OTHER					
	TOTAL ARMY	COLORLED MALE	ALL OTHER	TOTAL ARMY	COLORLED MALE	ALL OTHER	TOTAL ARMY	COLORLED MALE	ALL OTHER	TOTAL ARMY	COLORLED MALE	ALL OTHER	TOTAL ARMY	COLORLED MALE	ALL OTHER		TOTAL ARMY	COLORLED MALE	ALL OTHER	TOTAL ARMY	COLORLED MALE	ALL OTHER	TOTAL ARMY	COLORLED MALE	ALL OTHER	TOTAL ARMY	COLORLED MALE	ALL OTHER	TOTAL ARMY	COLORLED MALE	ALL OTHER
TOTAL ARMY	121	621	75	14	79	8	99	490	63	8	52	4	3	23	1																
TOTAL UNITED STATES	83	511	40	14	85	7	66	405	32	3	21	1	5	36	2	TOTAL OVERSEAS	180	816	127	15	66	11	150	642	109	15	108	7			
First Service Comd.	38	437	26	8	80	6	28	328	19	2	29	1	2	22	1	European	218	1048	158	24	103	18	189	903	138	5	42	2			
Second Service Comd.	68	543	33	21	146	12	46	388	20	1	9	1	3	37	0	Mediterranean	225	1291	170	27	262	15	185	905	147	13	124	8			
Third Service Comd.	101	484	45	17	82	7	81	383	37	3	19	1	3	16	1	Western Pacific	176	712	120	8	36	5	141	525	101	27	151	14			
Mil. Dist. of Wash.	43	396	22	7	57	4	36	339	18				2	23	1	Japan	241	1326	181	11	89	6	194	923	154	36	314	21			
Fourth Service Comd.	130	585	51	17	81	6	106	468	43	7	36	2	7	40	1	Korea	42	353	26	4	40	3	36	282	23	2	31	0			
Fifth Service Comd.	66	519	48	15	168	9	48	308	38	3	43	1	26	255	16	Philippines	188	746	93	6	22	3	151	577	79	31	147	11			
Sixth Service Comd.	56	970	34	13	253	7	42	697	26	1	20	1	0	5	0	Ryukyu	5	9	4	2		2	3	9	2						
Seventh Service Comd.	55	360	36	5	53	3	49	299	33	1	8	0	0	5	0	Other	12	19	7			12	19	7							
Eighth Service Comd.	72	443	36	12	69	6	58	361	29	2	13	1	6	50	1	China-Burma-India	170	1475	70	16	140	7	100	817	45	54	518	18			
Ninth Service Comd.	76	454	37	12	64	6	63	386	30	1	4	1	1	5	1	Alaska	7		8			7	8								
																Other North America	27		27			27	27								
																Latin America	44		44	8		8	34	34	2		2				
																Africa-Middle East	53		53	11		11	40	40	2		2				
																Middle Pacific	14	51	10	5	18	3	8	31	6	1	2	1			
																									</						

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)
† ANNUAL RATES PER 1000 STRENGTH.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

SUMMARY OF VENEREAL DISEASE ADMISSION RATES[†]

RESTRICTED

VOLUME VI REPORT NO. 21
FOR THE 4 WEEK PERIOD ENDING 26 April 1946

UNITED STATES AND THE SERVICE COMMANDS	EXCLUDING EPTS CASES *												TOTAL EPTS CASES			ARMY OVERSEAS AND THE THEATRES	EXCLUDING EPTS CASES *												TOTAL EPTS CASES			
	TOTAL			SYPHILIS			GONORRHEA			OTHER							TOTAL			SYPHILIS			GONORRHEA			OTHER						
	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER		TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER				
TOTAL ARMY	119			13			99			7			4																			
TOTAL UNITED STATES	86	540	37	13	80	6	70	438	30	3	22	1	6	39	2	TOTAL OVERSEAS	168			13			141			14						
First Service Comd.	30	335	19	5	21	5	24	283	14	1	31		1		1	European	208	841	150	20	82	14	185	731	135	3	28	1				
Second Service Comd.	90	824	29	23	191	10	65	618	19	2	15	0	4	32	1	Mediterranean	200	948	154	28	286	12	156	526	133	16	136	9				
Third Service Comd.	116	513	39	17	73	6	96	426	32	3	14	1	5	25	1	Western Pacific	157			6			127			24						
Mil. Dist. of Wash.	54	467	26	6	53	3	47	401	23	1	13					Japan	216	1310	160	11	69	8	173	978	132	32	263	20				
Fourth Service Comd.	141	685	45	15	73	5	119	571	39	7	41	1	8	49	1	Korea	41	311	31	2	13	1	38	285	29	1	13	1				
Fifth Service Comd.	59	430	42	12	75	9	45	311	33	2	44	0	25	219	15	Philippines																
Sixth Service Comd.	55	610	33	8	95	5	45	499	27	2	16	1	3	44	1	Ryukyu																
Seventh Service Comd.	57	386	35	8	62	5	46	303	29	3	21	1	1		1	Other																
Eighth Service Comd.	60	307	37	8	46	5	50	249	32	2	12	0	5	41	2	China-Burma-India	176	813	117	23	86	17	97	428	67	56	299	33				
Ninth Service Comd.	77	470	35	15	95	6	61	369	29	1	6	0	1	11	1	Alaska	4		4	2		2	2		2							
																Other North America	27		27				27		27							
																Latin America	43		43	7		7	34		34	2		2				
																Africa-Middle East	44		44				32		32	12		12				
																Middle Pacific	24	119	11	7	44	2	14	53	9	3	22					
											</																					

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)
† ANNUAL RATES PER 1000 STRENGTH.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

HEALTH REPORT

NUMBER OF CASES

RESTRICTED

VOLUME VI REPORT NO. 21

FOR THE FOUR-WEEK PERIOD ENDED 26 APRIL 1946

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S																				NUMBER OF NEUROPSYCHIATRIC CASES				DEATHS					
																						ADMITTED		REMAINING AT END OF MONTH							
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPTS)*	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	GONORRHEA EXCL. EPTS	SYPHILIS EXCL. EPTS	OTHER VENEREAL EXCL. EPTS	TOTAL VENEREAL EPTS	PSYCHIATRIC	ORGANIC NEUROLOGICAL	OPEN WARDS	LOCKED WARDS	ALL CAUSES	DISEASE	INJURY	
																	IN USA	OUT OF USA													
TOTAL UNITED STATES	1292096	60153	56603	3550	11180	1521	227	8484	2177	871	1050	1236	44	423	1027	355	31	884	314	6925	1301	258	591	1880	297	4281	1864	192	103	83	
FIRST SERVICE COMMAND	36287	1432	1344	88	223	24	13	84	19	12	11	14		7	14	16	1	28	7	66	15	3	4	19		218	40	6	5	1	
SECOND SERVICE COMMAND	121408	6295	6013	282	804	85	25	838	217	60	43	31		27	59	105	19	62	41	606	218	14	33	165	52	975	300	21	10	10	
THIRD SERVICE COMMAND	137873	8489	8162	327	2374	235	10	1238	279	130	117	340	6	50	175	42		70	52	1023	184	31	52	249	30	410	375	13	4	9	
DIL. DIST. OF WASHINGTON	46375	2089	2000	89	546	66	3	192	72	30	49	71	3	42	31	9	4	15	4	168	21	3		66	6	54	72	15	9	6	
FOURTH SERVICE COMMAND	250293	10522	9738	784	1218	419	41	2711	506	112	110	141	8	48	337	46	1	127	30	2286	295	130	163	427	79	684	281	28	13	14	
FIFTH SERVICE COMMAND	101345	4339	4061	278	789	73	24	468	131	32	55	97	4	13	28	22		65	20	354	95	19	194	111	20	362	218	17	6	8	
SIXTH SERVICE COMMAND	82636	3169	2924	245	676	87	11	354	90	20	31	59	1	24	46	31		43	33	289	53	12	20	81	9	354	28	12	6	6	
SEVENTH SERVICE COMMAND	93679	4433	4230	203	1147	127	12	407	153	82	106	216	3	94	109	14	1	59	43	331	58	18	9	120	33	180	80	18	12	6	
EIGHTH SERVICE COMMAND	227316	10564	9901	663	2561	275	30	1043	355	204	270	116	10	96	173	49	2	232	57	881	143	19	94	301	54	505	246	39	26	13	
NINTH SERVICE COMMAND	194884	8821	8230	591	1642	130	58	1149	355	189	258	151	9	22	55	21	3	183	27	921	219	9	22	341	14	539	224	23	12	10	

FORM SG-490 REV. 9 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

** SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

RESTRICTED

HEALTH REPORT

ANNUAL RATE PER 1000 STRENGTH

RESTRICTED

VOLUME VI REPORT NO. 21

FOR THE FOUR-WEEK PERIOD ENDED 26 APRIL 1946

SERVICE COMMAND AND STATION	MEAN STRENGTH***	ADMISSIONS																				NEUROPSYCHIATRIC CASES				DEATHS					
		ALL CAUSES	DISEASE	INJURY	COLDS INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPTS)*	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	VENEREAL*					PSYCHIATRIC	ORGANIC NEUROLOGICAL	OPEN WARDS	LOCKED WARDS	ALL CAUSES	DISEASE	INJURY
																	IN USA	OUT OF USA		GONORRHEA EXCL. EPTS	SYPHILIS EXCL. EPTS	OTHER VENEREAL EXCL. EPTS	TOTAL VENEREAL EPTS								
TOTAL UNITED STATES	1292096	605	569	36	121	15.3	2.3	85.4	21.9	8.8	10.6	12.4	.4	4.3	10.3	3.6	.3	8.9	3.2	69.7	13.1	2.6	6.0	18.9	3.0			1.93	1.04	.84	
FIRST SERVICE COMMAND	36287	513	481	32	80	8.6	4.7	30.1	6.8	4.3	3.9	5.0		2.5	5.0	5.7	.4	10.0	2.5	23.6	5.4	1.1	1.4	6.8				2.2	1.8	.4	
SECOND SERVICE COMMAND	121408	674	644	30	86	9.1	2.7	89.7	23.2	6.4	4.6	3.3		2.9	6.3	11.2	2.0	6.6	4.4	64.9	23.3	1.5	3.5	17.7	5.6			2.3	1.1	1.1	
THIRD SERVICE COMMAND	137873	801	770	31	224	22.2	.9	116.7	26.3	12.3	11.0	32.1	.6	4.7	16.5	4.0		6.6	4.9	96.5	17.4	2.9	4.9	23.5	2.8			1.2	.4	.9	
MIL. DIST. OF WASHINGTON	46375	586	561	25	153	18.5	.8	53.8	20.2	8.4	13.7	19.9	.8	11.8	8.7	2.5	1.1	4.2	1.1	47.1	5.9	.8		18.5	1.7			4.2	2.5	1.7	
FOURTH SERVICE COMMAND	250293	547	506	41	63	21.8	2.1	140.8	26.3	5.8	5.7	7.3	.4	2.5	17.5	2.4	.1	6.6	1.6	111.7	15.3	6.8	8.5	22.2	4.1			1.5	.7	.7	
FIFTH SERVICE COMMAND	101345	557	521	36	101	9.4	3.1	60.0	16.8	4.1	7.1	12.4	.5	1.7	3.6	2.8		8.3	2.6	45.4	12.2	2.4	24.9	14.2	2.6			2.2	.8	1.0	
SIXTH SERVICE COMMAND	82636	499	460	39	106	13.7	1.7	55.7	14.2	3.2	4.9	9.3	.2	3.8	7.2	4.9		6.8	5.2	45.5	8.3	1.9	3.2	12.7	1.4			1.9	.9	.9	
SEVENTH SERVICE COMMAND	93679	615	587	28	159	17.6	1.7	56.5	21.2	11.4	14.7	30.0	.4	13.0	15.1	1.9	.1	8.2	6.0	45.9	8.1	2.5	1.3	16.7	4.6			2.5	1.7	.8	
EIGHTH SERVICE COMMAND	227316	604	566	38	146	15.7	1.7	59.7	20.3	11.7	15.4	6.6	.6	5.5	9.9	2.8	.1	13.3	3.3	50.4	8.2	1.1	5.4	17.2	3.1			2.2	1.5	.7	
NINTH SERVICE COMMAND	194884	588	549	39	110	8.7	3.9	76.7	23.7	12.6	17.2	10.1	.6	1.5	3.7	1.4	.2	12.2	1.8	61.4	14.6	.6	1.5	22.8	.9			1.5	.8	.7	

FORM SG-490 REV. 9 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

HEALTH REPORT

RESTRICTED

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER

VOLUME VI REPORT NO. 21

FOR THE FOUR WEEK PERIOD ENDED 26 APRIL 1946

[illegible]

HEALTH REPORT

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER

FOR THE FOUR WEEK PERIOD ENDED 26 APRIL 1946

RESTRICTED

VOLUME VI REPORT NO. 21

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S																				NUMBER OF NEUROPSYCHIATRIC CASES				NUMBER OF DEATHS					
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH						NUMBER OF CASES											ADMITTED		REMAINING AT END OF MONTH							
		ALL CAUSES	DISEASE	INJURY	COLDS INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPTS)*	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	VENEREAL*					PSYCHIATRIC	ORGANIC NEUROLOGICAL	OPEN WARDS	LOCKED WARDS	ALL CAUSES	DISEASE	INJURY
																	IN USA	OUT OF USA		GONORRHEA EXCL. EPTS	SYPHILIS EXCL. EPTS	OTHER VENEREAL EXCL. EPTS	TOTAL VENEREAL EPTS								
SECOND SERVICE COMMAND	121408	674	644	30	86	9	3	90	23	60	43	31		27	59	105	19	62	41	606	218	14	33	165	52	975	300	21	10	10	
Dix, Ft., N. J.	49190	663	654	9	57	6		39	9	17	3	8		1	23	11		15	22	117	32		24	29	3						
U.S.D.B. Green Haven, N. Y.	1074	873	861	12?	97			12?	12?							1	19	1		1				1		1					
Hancock, Ft., N. J.	1505	821	691	130	61			18?	17?					2		1		1		1	1			2							
Jay, Ft., N. Y. (RH)	2367	918	918		66	27?		109	11?	3	2			5	1		1	2	11	9			2					1	1		
Kilmer, Co., N. J.	22633	755	742	13	48	10		258	17	21	18	9		11	13		10	3	297	145	7		27	1	14	5	2	2			
Mitchel Field, N. Y.(RH)	4460	461	417	44	58	15?		61	50	1	1			3	5		2		18	3			17		12						
Monmouth, Ft., N. J.	4032	954	890	64	293	16	3?	97	23	4	6	4		4	4	1		2	1	23	7		2	7		11	1	1		1	
Newark POE, N. J.	1182	1111	1012	99	198			308	22?	1	2							1		27	1		1	2							
New York POE, N. Y.	1298	661	641	20?	70		10?	20?										1		2											
New York, N.Y. SCU 1202	1041	438	400	38?	50?																		2								
Pine Camp, N. Y.	1024	495	470	25?	76		13?	38?	25?									1		2	1			2			2				
Shanks, Co., N. Y.	1794	674	616	58	160			145			1			1				1		18	1	1									
Stewart Field, N. Y.	2103	798	662	136	247		12?	80	6?		2									11	2			1				2		2	
Reg. Army West Point, N. Y.	2171	521	461	60	96			78												12	1										
West Point Cadets, N. Y.	2224	719	520	199	152		64																								
Stations Under 1000 Str. Gen. Hosp. & Conv. Hosp.	23310	565	518	47	126	17	5	49	69	13	8	10		19	13	72		26	13	66	15	6	4	75	48	937	292	15	7	7	

FORM SG-490 REV. 9 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

** SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

RESTRICTED

HEALTH REPORT

RESTRICTED

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER

VOLUME VI REPORT NO. 21

FOR THE FOUR WEEK PERIOD ENDED 26 APRIL 1946

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS																				NUMBER OF NEUROPSYCHIATRIC CASES				NUMBER OF DEATHS					
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH						NUMBER OF CASES																				
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPTS)*	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	VENEREAL*						PSYCHIATRIC	ORGANIC NEUROLOGICAL	OPEN WARDS	LOCKED WARDS		
																	IN USA	OUT OF USA		GONORRHEA EXCL. EPTS	SYPHILIS EXCL. EPTS	OTHER VENEREAL EXCL. EPTS	TOTAL VENEREAL EPTS								
THIRD SERVICE COMMAND	137873	801	770	31	224	22	1	117	26	130	117	340	6	50	175	42		70	52	1023	134	31	52	249	30	410	375	13	4	9	
Aberdeen Prov. Grd., Md.	23308	1213	1172	41	621	28		81	9	42	16	144		9	51			9		132	11	2	3	13	4	10	5	3			
A.P.Hill Mil.Res., Va.	2521	779	707	72	113	26?		10?		1	4	8		1	4			1		2											
Edgewood Arsenal, Md.	2748	554	516	38	151	14?		100				1		1	2			2		13	8										
Eustis, Ft., Va. (RH)	12405	1209	1170	39	348	29		168	18	33	24	5		1	28	6		6		153	8		15	17		2					
Geo. G. Meade, Ft., Md.	24345	630	621	9	52	14	2?	174	39	5	8	1		14	18	19		12	50	233	72	23	23	65	8	95	20	3		3	
Holabird Sig. Depot, Md. Indiantown Gap Mil. Res., Pa.	2132 4410	464 271	415 221	49 50	98 65		12? 3?		24					2	1	4			1		6	1	1					1		1	
Langley Field, Va. (RH)	4475	264	235	29	35	6?		29	6?		1				2					9	1			2		3					
Lee, Co., Va.	36691	744	731	13	166	38		129	45	38	55	173	6	21	64	2		18		298	62	2	11	122	5	125	19	2	1	1	
Monroe, Ft., Va. ASF Depot	1735	607	517	90		7?		157	15?	2	1	1						4		8	11	2		2		1					
New Cumberland, Pa.	2283	979	928	51	182			17?	23?			1						2		2		1		4				1	1		
Pickett, Co., Va.	10843	607	574	32	131	2?		154	13	5	5	2			1	5		8		125	3			11		9	1				
Stations Under 1000 Str. Gen. Hosp.	9977	777	701	76	155	10	7?	64	34	4	3	4		1	4	6		7	2	42	7			13	13	165	330	3	2	1	

RESTRICTED

FOR THE FOUR WEEK PERIOD ENDED 26 APRIL 1946

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

44

HEALTH REPORT

RESTRICTED

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER

FOR THE FOUR WEEK PERIOD ENDED 26 APRIL 1946

VOLUME VI REPORT NO 21

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS																		NUMBER OF NEUROPSYCHIATRIC CASES				NUMBER OF DEATHS						
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH						NUMBER OF CASES												ADMITTED				REMAINING AT END OF MONTH			
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPTS)*	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	VENEREAL*										
																	IN USA	OUT OF USA		GONORRHEA EXCL. EPTS	SYPHILIS EXCL. EPTS	OTHER VENEREAL EXCL. EPTS	TOTAL VENEREAL EPTS							
FOURTH SERVICE COMMAND	250293	547	506	41	63	22	2	141	26	112	110	141	8	48	337	46	1	127	30	2286	295	130	163	427	79	684	281	28	13	14
Atlanta, Ga. Ord. Depot	2757	453	439	14?	175			24?												5										
Benning, Ft., Ga. (RH)	23733	785	726	59	67	13	1?	307	14	17	4	2		4	10	3		22	7	470	52	40	75	26		16		2		2
Blanding, Cp., Fla.	1175	741	719	22?																		42								
Boca Raton Field, Fla.	2588	442	417	25?	40			80			3			5						15	1									
Bragg, Ft., N. C. (RH)	38477	432	405	27	54	8		68	16	13	9	10	2	12	20	5		22	2	132	56	11	23	47	1	17	1	4	2	2
(RH) (CH) Coral Gables AAF, Fla.	1194	958	664	294				33?	381							1				1	2			35		46	6	6		
Eglin Field, Fla.	3222	363	315	48	20?			113										2		25	3									
Gordon, Cp., Ga.	4848	295	260	35	13?	3?		35	43										1	4	8	1		16		10				
Greensboro AAFORD, N. C.	17457	446	416	30	54	19	1?	128	19	16	9	13	2	4	23	3		15	1	159	14			20	5	14		1	1	
Greenville AAF, S. C.	1442	649	568	81	18?	9?		153	18?	2	3	1						3		12	5			2		2				
Jackson, Ft., S. C.	24268	521	500	21	3?	1?	4	259	13	4	1	1		2	2	6		2		431	21	31		21	4	11		1	1	
Keesler Field, Miss. (RH)	24097	648	600	48	182	65		22	28	42	20	43	1	6	84	2			7	35	3	1	5	45	7	18	9	4	1	3
MacDill Field, Fla.	4528	407	373	34	32	3?	6?	92		1	2			1	1	3		5		30	2									
Maxwell Field, Ala. (RH)	3743	553	504	49	10?		7?	174	31	2	1			1		4		1		38	12			7	2	10		1		1
McClellan, Ft., Ala. (RH)	28173	589	535	54	98	84	6	53	34		26	67	2	7	171	3		14	1	104	9	3	16	64	9	61				
McPherson, Ft., Ga.	13684	579	561	18	47	14	4?	141	39	5	11	1		3	12	3		14	1	127	18	3		37	4	8				
Memphis AAF, Tenn.	2042	305	299	6?	32?	6?	6?	82							1			1		12	1									
2nd Army Hq. Memphis, Tenn.	1343	581	494	87	58			19?												2										
Morrison Field, Fla.	2422	484	403	81	81		5?	16?			1			2						2	1					1		1		1

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER

FOR THE FOUR WEEK PERIOD ENDED 26 APRIL 1946

VOLUME VI REPORT NO 21

FORM SG-490 REV. 9 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

RESTRICTED

HEALTH REPORT

RESTRICTED

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER

VOLUME VI REPORT NO. 21

FOR THE FOUR WEEK PERIOD ENDED 26 APRIL 1946

[illegible]

FORM SG-490 REV. 9 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

- SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

RESTRICTED

RESTRICTED

FOR THE FOUR WEEK PERIOD ENDED 26 APRIL 1946

VOLUME VI REPORT NO. 21

FORM SG-490 REV. 9 DEC. 1944 * DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.) ** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

HEALTH REPORT

RESTRICTED

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER

FOR THE FOUR WEEK PERIOD ENDED 26 APRIL 1946

VOLUME VI REPORT NO. 21

A D M I S S I O N S

NUMBER OF
NEUROPSYCHIATRIC
CASESNUMBER
OF
DEATHSSERVICE COMMAND
AND
STATIONMEAN
STRENGTHANNUAL RATE
PER 1000 STRENGTHANNUAL CASE RATE
PER 1000 STRENGTH

NUMBER OF CASES

ALL
CAUSES

DISEASE

INJURY

COLD,
INFLUENZA
ETC.PNEUMONIA
(INCLUDING
ATYPICAL)DIARRHEA
AND
DYSENTERYVENEREAL
(EXCLUDING
EPTS)*NEURO-
PSYCHIATRIC
CASES

MEASLES

MUMPS

SCARLET
FEVERM*COCCIC
MENINGITISRHEUMATIC
FEVERATYPICAL
PNEUMONIAINFECTIOUS
HEPATITISMALARIA
ACQUIREDIN
USAOUT
OF
USA

TUBERCULOSIS

GONORRHEA
EXCL. EPTSSYPHILIS
EXCL. EPTSOTHER
VENEREAL
EXCL. EPTSALL
VENEREAL
EPTS

PSYCHIATRIC

ORGANIC
NEUROLOGICALOPEN
WARDSLOCKED
WARDSALL
CAUSES

DISEASE

INJURY

ADMITTED

REMAINING
AT END
OF MONTH

SEVENTH SERVICE COMMAND	93679	615	587	28	159	18	2	56	21	82	106	216	3	94	109	14	1	59	43	331	58	18	9	120	33	180	80	18	12	6	
Buckley Field, Colo. (RH)	4663	1213	1127	86	455	31		56	70	16	4	18		18	9			4	1	15	5			20	5	15					
2nd Air Force, Colo. Colorado Springs,	1705	260	229	31?	53			15?												2											
Crowder, Co. Mo. (RH)	24923	743	732	11	315	47	2?	38	20	25	52	152	2	62	80	3	1	4	2	64	9			37	2	8	3	3	1	2	
Francis E. Warren, Ft. Wyo.	2512	1501	1434	67	482	10?		197	26?	7	1	20		1				2		33	5			5		3					
Jefferson Bks., Mo.	6844	526	503	23	23	4?	2?	107	15		5	1		2	2	2		5	27	34	10	12		8			4	1		1	
Leavenworth, Ft., Kans.	12442	567	559	8	43	10	3?	80	14	8	5	3		2	10			12	12	58	13	5	4	13		6	5				
Leavenworth, Ft., Kans. USDB	1177	1149	1105	44?	188	11?		11?	22?											1				2			21				
Leonard Wood, Ft., Mo.	1335	478	429	49?	88	19?		97	10?	2	3	2		2	2					8	2			1							
Logan, Ft., Colo.	2592	130	100	30	5?	5?		5?	10?		1							1		1				2							
Lowry Field, Colo.	6314	464	410	54	183	2?	4?	37	6?	4	5	1		3	1			2		14	4			3							
Riley, Ft., Kans.	4323	595	580	15?	45	6?		39		7	3	9			1	1		8		12	1		1								
Sedalia AAF, Mo.	1015	423	372	51?	38?		13?	103								2				8											
Smoky Hill AAF, Kans (RH)	3128	416	362	54	21?			63	4?	3	2	1				1		2		10	5			1		1		2		2	
Snelling, Ft., Minn.	5330	351	327	24	51	5?		29	7?		11			4	2	1		9		11	1		4	3		2					
Topeka AAF, Kans.	1657	384	337	47	24?			31?	8?		3							1		4				1		1					
Stations Under 1000 Str. and Gen. Hosp.	13719	476	443	33	62	3?	1?	57	47	10	11	9	1		2	4		10		57	2	1		24	26	144	47	12	11	1	

FORM SG-490 REV. 9 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

** SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

RESTRICTED

HEALTH REPORT

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER

RESTRICTED

VOLUME VI REPORT NO. 21

FOR THE FOUR WEEK PERIOD ENDED 26 APRIL 1946

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S																				NUMBER OF NEUROPSYCHIATRIC CASES				NUMBER OF DEATHS					
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH						NUMBER OF CASES											ADMITTED		REMAINING AT END OF MONTH							
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPTS)*	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	VENEREAL*					PSYCHIATRIC	ORGANIC NEUROLOGICAL	OPEN WARDS	LOCKED WARDS	ALL CAUSES	DISEASE	INJURY
																	IN USA	OUT OF USA		GONORRHEA EXCL. EPTS	SYPHILIS EXCL. EPTS	OTHER VENEREAL EXCL. EPTS	TOTAL VENEREAL EPTS								
EIGHTH SERVICE COMMAND	227316	604	566	38	146	16	2	60	20	204	270	116	10	96	173	49	2	232	57	881	143	19	94	301	54	505	246	39	26	13	
Amarillo AAF, Texas (RH)	5361	822	771	51	373	12?		44	17	6	7	5	3	5				1		12	6		1	4	3	4					
Barksdale Field, La.(RH)	4264	777	729	48	64	3?	3?	116	6?	1	2	1		2	1			10	2	34	4			2							
Bergstrom Field, Tex.	1447	386	332	54	63			126	18?		2							3		13	1			2		1					
Biggs Field, Tex.	1572	529	438	91	41?			58			1							4		7											
Bliss, Ft., Tex.	16212	782	762	20	272	14	4?	51	4?	19	23	7	1	7	9	1		7	2	59	5		4	4	1						
Bowie, Cp., Tex.	1841	303	275	28?	35?	21?	7?	35?							1				1	5											
Brooks Field, Tex.	1274																														
Chaffee, Cp., Ark.	10987	448	413	35	32	13	4?	59	19	2	6		1		9	2		12	9	16	32	2	27	16		7	2				
Clovis AAF, N. Mex.	1630	415	367	48	88			56		2		1		1				2		6	1		3								
Enid AAF, Okla.	2864	490	454	36	23?	5?		96	9?		1				1			2		20	1			2				1		1	
Ft. Worth AAF, Tex.	2691	392	382	10?	58	10?		96	5?	1	2				1	1		2		17	3			1							
Goodfellow Field, Tex.	2057	531	461	70	25?	6?		51		1	1	1				1				8			1								
Hood, Cp., Tex.	14873	617	566	51	52	2?		85	29	5	13	4			2	6		69		83	14			19	14	9	8	2		2	
Ark. (RH) Joseph T. Robinson, Cp.,	15775	800	731	69	454	17	1?	33	29	32	13	6	1	10	16	3	1	12	3	36	4		3	33	2	28	8	2	1	1	
Kelly Field, Tex.	2575	318	318					121												24											
Lake Charles AAF, La.	2123	423	386	37				79			1							4		12	1										
Love Field, Texas	2162	517	463	54	96		6?	54		2	2							2		7	2							2		2	
New Orleans, PoE, La.	8335	674	621	53	198	48		185	37	10	6	5	3	7	31	4		5	1	104	2	13		24		7	3				
Polk, Cp., La.	12610	954	895	59	267	18		57	10	25	26	7	1		12					44	10	2	1	10		7	3	2	2		
Randolph Field, Texas	4591	422	388	34	48			51		2								1		16	2		1								

FORM SG-490 REV. 9 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

HEALTH REPORT

RESTRICTED

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER

FOR THE FOUR WEEK PERIOD ENDED 26 APRIL 1946

VOLUME VI REPORT NO 21

SERVICE COMMAND AND STATION	MEAN STRENGTH	A D M I S S I O N S																				NUMBER OF NEUROPSYCHIATRIC CASES				NUMBER OF DEATHS						
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES													ADMITTED		REMAINING AT END OF MONTH								
		ALL CAUSES	INFECTIOUS DISEASES	TUBERCULOSIS	DIPHTHERIA (INCLUDING ATYPICAL)	DIPHTHERIA AND TETANUS	DYSENTERY	VENEREAL (EXCLUDING EPT. ★)	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	MISCELLANEOUS MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	VENEREAL ★				PSYCHIATRIC	ORGANIC NEUROLOGICAL	OPEN WARDS	LOCKED WARDS	ALL CAUSES	DISEASE	INJURY		
																	IN USA	OUT OF USA		GONORRHEA EXCL. EPTS	SYPHILIS EXCL. EPTS	OTHER VENEREAL EXCL. EPTS	TOTAL VENEREAL EPTS									
(cont'd) EIGHTH SERVICE COMMAND																																
Roswell AAF, N. Mexico	3442	162	128	34	38			26		1							1		7													
San Houston, Ft., Texas	26783	496	479	17	45	3	1?	82		11	15	1			3	5	1	13	3	14	22		44							2	2	
San Antonio AAF, Texas (RH)	25379	650	642	8	185	12	3?	29	20?	53	52	30		23	12	1		10	4	46	9			35	4	91	14	3	3			
Sheppard Field, Texas (RH)	23286	631	610	21	154	53	2?	31	29	11	59	36		30	69			1	2	45	10		2	36	16	20	10	2	2			
Sill, Ft., Okla.	8124	311	285	26	56	6?		45	4?	5	7	2		1	2	2		11		28				1	1	1						
Swift, Cp., Tex. (RH)	4037	242	200	42	19		3?	45	9?	9	2			1		7			1	11	3			1	2							
Tinker Field, Okla.	1211	784	687	97	54?			193			1							1		17		1							1		1	
Stations Under 1000 Str. Gen. Hosp. & Conv. Hosp.	19310	613	530	83	102	22	4	45	80	6	28	10		9	4	16		59	29	57	11	1	7	111	11	330	198	22	16	6		

HEALTH REPORT

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER

RESTRICTED

VOLUME VI REPORT NO. 21

FOR THE FOUR WEEK PERIOD ENDED 26 APRIL 1946

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S																				NUMBER OF NEUROPSYCHIATRIC CASES				NUMBER OF DEATHS				
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH						NUMBER OF CASES											ADMITTED		REMAINING AT END OF MONTH						
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPS)*	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	GONORRHEA EXCL. EPTS	SYPHILIS EXCL. EPTS	OTHER VENEREAL EXCL. EPTS	TOTAL VENEREAL EPTS	PSYCHIATRIC EPTS	ORGANIC NEUROLOGICAL	OPEN WARDS	LOCKED WARDS	ALL CAUSES	DISEASE	INJURY
																	IN USA	OUT OF USA												
NINTH SERVICE COMMAND	194884	588	549	39	110	9	4	77	24	189	258	151	9	22	55	21	3	183	27	921	219	9	22	341	14	539	224	23	12	10
Beale, Cp., Calif.	28030	580	563	17	65	8	4	151	21	29	30	4			5	7		24	3	251	75	1		40	4	22	14	1		1
Castle Field, Calif.	1387	478	431	47?	159	9?		19?		1	1	2			1			1		2								1		1
Douglas, Ft., Utah	4806	706	665	41	65	11?		11?	5?									5	3	3	1			2		4				
Calif. Fairfield-Suisun, AAF,	1421	384	320	64	37?			9?	9?	1								1		1				1						
Geiger Field, Wash.	4262	757	726	31	482	6?		21			9	1		2	1			4		6	1									
Haan, Cp., Calif.	1095	475	451	24?	95		12?	48	94											1	3			4	4	11				
(RH) Hamilton Field, Calif.	5988	343	321	22	124	13	28	48	2?		4	1		1	5			1		21	1				1	1		2		2
Hammer Field, Calif.	1744	783	686	97	164			29?		1		4						1		3	1									
Calif. John T. Knight, Cp.,	2631	652	608	44	59	10?		188					1	1		1				30	8									
Kearns, AAFORD, Utah	8696	630	599	31	154	6?		160	16	17	30	12		1	2		1	1		92	13	2		10	1		11			
Lawton, Ft., Wash.	9629	470	443	27	95	3?	1?	66	11	7	15		2			2		8		41	8		1	8		2	1	1	1	
Lewis, Ft., Wash.	40592	639	622	17	122	9		72	5	93	103	100	5	3	2			16		189	38		10	16						
Long Beach, AAF, Calif.	2146	302	254	48	24			42				1								5	2									
Luke Field, Ariz.	2066	346	289	57	50			70	6?		1	1						2		9	2			1						
MacArthur, Ft., Calif.	5878	183	170	13	42	13		4?		1	1			5	6			5	1	1	1									
March Field, Calif.	4953	412	375	37	66		3?	39	26		3			1			1	3		13	2			10		4	2			
Mason, Ft., Calif.	1003	635	635		117		13?	13?								1		2		1										
Mather Field, Calif.	1574	430	347	83	33?		17?	82	17?					1				1		9	1			2				1		1
McChord Field, Wash.	1207	431	345	86	118			54		2	2									4	1									
McClellan Field, Calif.	1954	240	200	40	27?		13?	20			2									2	1		1							

RESTRICTED

VOLUME VI REPORT NO. 21

FOR THE FOUR WEEK PERIOD ENDED 26 APRIL 1946

[illegible]

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES
STATIONS WITH STRENGTH OF 1000 OR OVER

RESTRICTED

VOLUME VI REPORT NO. 21

FOR THE FOUR-WEEK PERIOD ENDED 26 APRIL 1946

STATION	CURRENT 4-WEEK PERIOD	PREVIOUS 5-WEEK PERIOD	STATION	CURRENT 4-WEEK PERIOD	PREVIOUS 5-WEEK PERIOD	STATION	CURRENT 4-WEEK PERIOD	PREVIOUS 5-WEEK PERIOD
ALL CAUSES ANNUAL ADMISSION RATE PER 1000			DISEASE ANNUAL ADMISSION RATE PER 1000			DISEASE EXCLUDING VENEREAL EPTS ANNUAL ADMISSION RATE PER 1000		
Chicago, Ill Gen Disp	1720	1394	Chicago, Ill Gen Disp	1503	1300	Chicago, Ill Gen Disp	1503	1300
Francis E Warren, Ft, Wyo	1501	1574	Francis E Warren, Ft, Wyo	1434	1510	Francis E Warren, Ft, Wyo	1434	1510
Pasadena, Calif (RH)	1369	1809	Pasadena, Calif (RH)	1338	1766	Pasadena, Calif (RH)	1338	1766
Aberdeen PrGr, Md	1213	1394	Aberdeen PrGr, Md	1172	1345	Aberdeen PrGr, Md	1170	1344
Buckley Field, Colo (RH)	1213	779	Eustis, Ft, Va	1170	1055	Eustis, Ft, Va	1154	1039
Eustis, Ft, Va	1209	1093	Buckley Field, Colo (RH)	1127	739	Buckley Field, Colo (RH)	1127	739
Leavenworth, Ft, Kans USDB	1149	1036	Leavenworth, Ft, Kans USDB	1105	1008	Leavenworth, Ft, Kans USDB	1105	999
COLDS, INFLUENZA, ETC* ANNUAL ADMISSION RATE PER 1000			PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000			ATYPICAL PNEUMONIA ANNUAL ADMISSION RATE PER 1000		
Aberdeen PrGr, Md	621	727	Pasadena, Calif (RH)	115	130	Pasadena, Calif (RH)	94	109
Francis E Warren, Ft, Wyo	482	430	McClellan, Ft, Ala (RH)	84	91	McClellan, Ft, Ala (RH)	79	86
Geiger Field, Wash	482	422	Keesler Field, Miss (RH)	65	75	New Orleans PoE, La	48	45
Buckley Field, Colo (RH)	455	256	Sheppard Field, Texas (RH)	53	45	Keesler Field, Miss (RH)	45	67
Joseph T Robinson, Cp, Ark (RH)	454	506	New Orleans PoE, La	48	45	Crowder, Cp, Mo (RH)	42	34
Amarillo AAF, Texas (RH)	373	167	Crowder, Cp, Mo (RH)	47	38	Sheppard Field, Texas (RH)	39	28
Eustis, Ft, Va	348	419	Chicago, Ill Gen Disp	43	29	McCoy, Cp, Wis	33	33
VENEREAL (EXCLUDING EPTS) ANNUAL ADMISSION RATE PER 1000			DIARRHEA AND DYSENTERY ANNUAL ADMISSION RATE PER 1000			INJURY ANNUAL ADMISSION RATE PER 1000		
Shelby, Cp, Miss	508	311	West Point, NY Cadets	64	140	Coral Gables AAF, Fla (RH)(CH)	294	65
Lockbourne AAB, Ohio	322	468	Hamilton Field, Calif (RH)	28	-	Chicago, Ill Gen Disp	217	94
Newark PoE, NJ	308	125	Ord, Ft, Calif (RH)	22	28	West Point, NY Cadets	199	210
Berning, Ft, Ga (RH)	307	175	Knox, Ft, Ky (RH)	9	9	Stewart Field, NY	136	116
Jackson, Ft, SC	259	353	McClellan, Ft, Ala (RH)	6	10	Hancock, Ft, NJ	130	32?
Kilmer, Cp, NJ	258	152	Jackson, Ft, SC	4	0?	Andrews Field, DC	120	43?
Chicago, Ill Gen Disp	236	242	Sheridan, Ft, Ill (RH)	4	1?	Missoula, Ft, Mont	110	61

FORM 98-613, 8 Jan 1944

RESTRICTED

* Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis and Acute Catarrhal Laryngitis.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES
STATIONS WITH STRENGTH OF 1000 OR OVER

RESTRICTED

VOLUME VI REPORT NO. 21

FOR THE FOUR-WEEK PERIOD ENDED 26 APRIL 1946

STATION	CURRENT 4-WEEK PERIOD	PREVIOUS 5-WEEK PERIOD	STATION	CURRENT 4-WEEK PERIOD	PREVIOUS 5-WEEK PERIOD	STATION	CURRENT 4-WEEK PERIOD	PREVIOUS 5-WEEK PERIOD
MEASLES ANNUAL ADMISSION RATE PER 1000			MUMPS ANNUAL ADMISSION RATE PER 1000			SCARLET FEVER ANNUAL ADMISSION RATE PER 1000		
Buckley Field, Colo (RH)	45	51	Kearns AAFORD, Utah	45	43	Francis E Warren, Ft, Wyo	104	20?
Francis E Warren, Ft, Wyo	36	68	Ord, Ft, Calif (RH)	36	28	Aberdeen PrGr, Md	80	102
Eustis, Ft, Va	35	-	Lewis, Ft, Wash	33	25	Crowder, Cp, Mo (RH)	79	106
Lewis, Ft, Wash	30	39	Sheppard Field, Texas (RH)	33	38	Lee, Cp, Va (RH)	61	66
Swift, Cp, Texas (RH)	29	5	Crowder, Cp, Mo (RH)	27	42	Knox, Ft, Ky (RH)	52	58
San Antonio, Texas Aviation Cadet Center (RH)	27	51	Snelling, Ft, Minn	27	27	Buckley Field, Colo (RH)	50	51
Joseph T Robinson, Cp, Ark	26	29	Polk, Cp, Ia	27	25	Belvoir, Ft, Va (RH)	45	79
MENINGITIS (M'COCCIC) ANNUAL ADMISSION RATE PER 1000			RHEUMATIC FEVER ANNUAL ADMISSION RATE PER 1000			NEUROPSYCHIATRIC ANNUAL ADMISSION RATE PER 1000		
Lee, Cp, Va (RH)	2	3	Buckley Field, Colo (RH)	50	22	Coral Gables AAF, Fla (RH)(CH)	381	222
			Crowder, Cp, Mo (RH)	32	20	Pasaden, Calif (RH)	303	456
NO OTHER STATION WITH SIX OR MORE CASES.			Belvoir, Ft, Va (RH)	25	23	Haan, Cp, Calif	94	123
			Chanute Field, Ill (RH)	20	3?	Buckley Field, Colo (RH)	70	59
			Sheppard Field, Texas (RH)	17	16	Mitchel Field, NY (RH)	50	51
			San Antonio, Texas (RH) Aviation Cadet Center	12	14	Stoneman, Cp, Calif	47	56
			New Orleans PoE, Ia	11	-	Oglethorpe, Ft, Ga	46	36
SYPHILIS (EXCL. EPTS) ANNUAL ADMISSION RATE PER 1000			GONORRHEA (EXCL. EPTS) ANNUAL ADMISSION RATE PER 1000			OTHER VENEREAL (EXCL. EPTS) ANNUAL ADMISSION RATE PER 1000		
Kilmer, Cp, NJ	83	77	Shelby, Cp, Miss	425	239	Lockbourne AAB, Ohio	79	-
Monroe, Ft, Va	82	105	Newark PoE, NJ	297	125	Shelby, Cp, Miss	26	21
Shelby, Cp, Miss	57	51	Benning, Ft, Ga (RH)	257	134	Jefferson Bks, Mo	23	-
Lockbourne AAB, Ohio	51	-	Jackson, Ft, SC	231	308	Benning, Ft, Ga (RH)	22	12
Jay, Ft, NY (RH)	49	17	Chicago, Ill Gen Disp	217	213	New Orleans PoE, Ia	20	14
Maxwell Field, Ala (RH)	42	19	Tuskegee AAF, Ala	214	206	Jackson, Ft, SC	17	25
John T Knight, Cp, Calif	40	15?	Lockbourne AAB, Ohio	192	468	George G Meade, Ft, Md	12	8

FORM 56- 614, 8 Jan 1944

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

VENEREAL DISEASE NONEFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES

TOTAL ARMY IN CONTINENTAL UNITED STATES **

VOLUME VI REPORT NO. 21

SERVICE COMMAND	1946 MONTH* 1946											
	JANUARY	FEBRUARY	MARCH †	APRIL	MAY	JUNE †	JULY	AUGUST †	SEPTEMBER	OCTOBER	NOVEMBER †	DECEMBER
NONEFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	1.02	1.01	1.04	1.03								
FIRST SERVICE COMMAND	1.93	2.47	2.76	2.37								
SECOND SERVICE COMMAND	1.42	1.38	1.44	1.36								
THIRD SERVICE COMMAND	1.33	.83	.89	1.12								
MIL.DIST.OF WASHINGTON	.41	.63	.64	.35								
FOURTH SERVICE COMMAND	.93	1.09	1.19	1.29								
FIFTH SERVICE COMMAND	1.11	1.39	1.42	1.36								
SIXTH SERVICE COMMAND	.64	.58	.75	.61								
SEVENTH SERVICE COMMAND	.93	.72	.41	.36								
EIGHTH SERVICE COMMAND	.74	.68	.81	.79								
NINTH SERVICE COMMAND	1.01	.99	.92	.91								
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	56840	49175	53322	37232								
FIRST SERVICE COMMAND	3957	4210	4547	2445								
SECOND SERVICE COMMAND	7482	6355	7019	4645								
THIRD SERVICE COMMAND	6767	4018	4928	4334								
MIL.DIST.OF WASHINGTON	564	871	1089	469								
FOURTH SERVICE COMMAND	10440	10802	12471	9072								
FIFTH SERVICE COMMAND	4552	4793	5322	3868								
SIXTH SERVICE COMMAND	2191	1725	2303	1435								
SEVENTH SERVICE COMMAND	4467	2969	1696	952								
EIGHTH SERVICE COMMAND	6656	5330	6753	5038								
NINTH SERVICE COMMAND	9764	8102	7194	4974								

*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY †

VENEREAL DISEASE NONEFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES
COLORED MALES IN ARMY IN CONTINENTAL UNITED STATES **

VOLUME VI REPORT NO 21

SERVICE COMMAND	1946 MONTH* 1946											
	JANUARY	FEBRUARY	MARCH †	APRIL	MAY	JUNE †	JULY	AUGUST †	SEPTEMBER	OCTOBER	NOVEMBER †	DECEMBER
NONEFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	6.97	6.77	6.58	6.42								
FIRST SERVICE COMMAND	19.11	26.34	40.85	33.01								
SECOND SERVICE COMMAND	12.10	13.60	11.71	10.72								
THIRD SERVICE COMMAND	10.50	4.21	4.72	3.52								
MIL.DIST.OF.WASHINGTON	11.21	13.50	8.42	3.39								
FOURTH SERVICE COMMAND	5.71	6.47	5.95	6.73								
FIFTH SERVICE COMMAND	3.96	11.60	15.23	11.52								
SIXTH SERVICE COMMAND	12.50	9.02	13.54	3.84								
SEVENTH SERVICE COMMAND	5.06	3.90	2.50	2.30								
EIGHTH SERVICE COMMAND	5.36	4.72	5.37	4.99								
NINTH SERVICE COMMAND	5.87	5.74	4.75	5.23								
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	28665	26992	30533	22458								
FIRST SERVICE COMMAND	1707	1826	2043	1172								
SECOND SERVICE COMMAND	3817	3712	3982	2788								
THIRD SERVICE COMMAND	4576	2466	3371	3239								
MIL.DIST.OF.WASHINGTON	374	611	805	293								
FOURTH SERVICE COMMAND	7424	8028	9156	7080								
FIFTH SERVICE COMMAND	852	2166	2308	1539								
SIXTH SERVICE COMMAND	785	598	977	521								
SEVENTH SERVICE COMMAND	1656	1043	605	390								
EIGHTH SERVICE COMMAND	3529	3040	3843	2705								
NINTH SERVICE COMMAND	3945	3502	3443	2731								

*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY †

VENEREAL DISEASE NONEFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENERAL DISEASES

ARMY EXCLUSIVE OF COLORED MALES, CONTINENTAL UNITED STATES **

VOLUME VI REPORT NO. 21

SERVICE COMMAND	1946 MONTH* 1946											
	JANUARY	FEBRUARY	MARCH ‡	APRIL	MAY	JUNE ‡	JULY	AUGUST ‡	SEPTEMBER	OCTOBER	NOVEMBER ‡	DECEMBER
NONEFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	.69	.49	.49	.45								
FIRST SERVICE COMMAND	1.15	1.45	1.57	1.28								
SECOND SERVICE COMMAND	.74	.61	.67	.59								
THIRD SERVICE COMMAND	.47	.36	.32	.34								
MIL.DIST.OF WASHINGTON	.14	.19	.18	.14								
FOURTH SERVICE COMMAND	.31	.32	.37	.33								
FIFTH SERVICE COMMAND	.95	.81	.84	.86								
SIXTH SERVICE COMMAND	.42	.39	.44	.40								
SEVENTH SERVICE COMMAND	.63	.50	.28	.23								
EIGHTH SERVICE COMMAND	.38	.32	.38	.40								
NINTH SERVICE COMMAND	.65	.61	.53	.45								
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	28175	22183	22789	14774								
FIRST SERVICE COMMAND	2250	2384	2504	1273								
SECOND SERVICE COMMAND	3665	2643	3037	1857								
THIRD SERVICE COMMAND	2191	1552	1557	1095								
MIL.DIST.OF WASHINGTON	190	260	284	176								
FOURTH SERVICE COMMAND	3016	2774	3315	1992								
FIFTH SERVICE COMMAND	3700	2627	3014	2329								
SIXTH SERVICE COMMAND	1406	1127	1326	914								
SEVENTH SERVICE COMMAND	2811	1926	1091	562								
EIGHTH SERVICE COMMAND	3127	2290	2910	2333								
NINTH SERVICE COMMAND	5819	4600	3751	2243								

* BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY ‡

VENEREAL DISEASE ADMISSION RATES[†]

RESTRICTED

VOLUME VI REPORT NO. 21 FOR STATIONS HAVING COLORED MALE STRENGTH OF 1000 OR OVER
FOR THE WEEK PERIOD ENDING 26 April 1946

SERVICE COMMAND AND STATION	EXCLUDING EPTS CASES *												TOTAL EPTS CASES			SERVICE COMMAND AND STATION	EXCLUDING EPTS CASES *												TOTAL EPTS CASES			
	TOTAL			SYPHILIS			GONORRHEA			OTHER			TOTAL ARMY	COLORED MALE	ALL OTHER		TOTAL			SYPHILIS			GONORRHEA			OTHER			TOTAL ARMY	COLORED MALE	ALL OTHER	
	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER					TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER				
TOTAL UNITED STATES	85	540	37	13	80	6	69	438	30	3	22	1	6	39	2	THIRD SERV. COMD.	116	513	39	17	73	6	96	426	32	3	14	1	5	25	1	
FIRST SERVICE COMMAND	30	335	19	5	21	5	24	283	14	1	31		1		1	Aberdeen Prov. Grd., Md.	81	336	29	6	30	1	74	299	28	1	7		2	10		
Stations Under 1000 Colored Strength	30	335	19	5	21	5	24	283	14	1	31		1		1	Eustis, Ft., Va.	168	511	8	8	22	2	160	489	6			16	43	3		
																Lee, Cp., Va.	129	345	31	22	56	7	160	287	24	1	2		4	11	1	
																Stations Under 1000 Colored Strength	112	1293	49	20	239	9	87	973	39	5	81	1	5	69	1	
SECOND SERV. COMMAND	90	824	29	23	191	10	65	618	19	2	15	0	4	32	1																	
Dix, Ft., N. J.	39	746	19	8	92	6	31	654	13				6	138	2	MIL. DIST. OF WASH.	54	467	26	6	53	3	47	401	23	1	13					
Kilmer, Cp., N. J.	258	1154	83	83	338	34	171	802	47	4	14	2																				
Stations Under 1000 Colored Strength	63	558	18	11	95	3	50	441	15	2	22		2	25	0	Belvoir, Ft., Va. (RH)	73	424	30	8	35	4	64	377	26	1	12					
																Stations Under 1000 Colored Strength	38	593	23	4	105	2	34	471	21	0	17					
																FOURTH SERV. COMD.	141	685	45	15	73	5	119	571	39	7	41	1	8	49	1	
																Benning, Ft., Ga.	307	910	38	28	76	7	257	768	29	22	66	2	41	133		
																Bragg, Ft., N. C.	68	374	31	19	106	9	45	237	22	4	32	0	8	64	1	
																Greensboro AAFORD, NC	128	602	68	10	39	7	118	563	61							
																Jackson, Ft., S. C.	259	704	63	11	33	27	231	622	59	17	49	2				

FORM 56-727 REVISED 17 February 1945

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)
† ANNUAL RATES PER 1000 STRENGTH.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

VENEREAL DISEASE ADMISSION RATES[†]

RESTRICTED

VOLUME VI REPORT NO. 21 FOR STATIONS HAVING COLORED MALE STRENGTH OF 1000 OR OVER
FOR THE 4 WEEK PERIOD ENDING 26 Apr 11 1946

SERVICE COMMAND AND STATION	EXCLUDING EPTS CASES *												TOTAL EPTS CASES			SERVICE COMMAND AND STATION	EXCLUDING EPTS CASES *												TOTAL EPTS CASES			
	TOTAL			SYPHILIS			GONORRHEA			OTHER			TOTAL ARMY	COLORED MALE	ALL OTHER		TOTAL			SYPHILIS			GONORRHEA			OTHER			TOTAL ARMY	COLORED MALE	ALL OTHER	
	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER					TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER				TOTAL ARMY
(Cont'd)																																
FOURTH SERV. COMD.																	SEVENTH SERV. COMD.	56	386	35	8	62	5	46	303	29	2	21	1	1		1
(RH) McClellan, Ft., Ala.	53	208	26	4	18	27	48	181	24	17	97		7	31	3																	
Orlando, AAF, Fla.	139	347	53	26	90		109	244	53	47	137		47		57	(RH) Crowder, Cp., Mo.	38	229	21	5	327	27	33	197	19							
Shelby, Cp., Miss.	508	1474	71	57	161	10	425	1231	61	26	82					Kans. Leavenworth, Ft.,	80	467	42	14	72	8	61	371	31	57	247	37	47		57	
Tuskegee AAF, Ala.	214	222					214	222																								
																	Stations Under 1000 Colored Strength	59	478	40	8	82	5	48	360	34	3	36	1	1		1
Stations Under 1000 Colored Strength	85	665	48	11	109	5	71	520	42	3	36	17	6	76	2																	
																	EIGHTH SERV. COMD.	59	307	37	8	46	5	50	249	32	1	12	07	5	41	2
FIFTH SERV. COMD.	59	430	42	12	75	9	45	311	33	2	44	07	25	219	15																	
																	Chaffee, Cp., Ark.	59	131	44	38	76	30	19	41	14	27	147		32	158	67
Lockbourne AAB, Ohio	322	357		51	56		192	213		79	88						New Orleans PoE, La.	185	450	69	37	107		162	379	67	20	61	27			
																	Sam Houston, Ft., Tex.	82	614	29	11	97	27	71	517	27			21	178	6	
Stations Under 1000 Colored Strength	54	487	42	11	89	9	42	388	33	17	107	07	25	393	16		San Antonio, Tex. (RH)	29	159	15	5	287	27	24	131	13						
																	(RH) Sheppard Field, Tex.	31	92	148	6	24	77	25	68	141			17		147	
SIXTH SERV. COMD.	55	610	33	8	95	5	45	499	27	2	167	1	3	44	1		Stations Under 1000 Colored Strength	58	421	44	7	56	5	51	355	39	07	107		2	127	2
Scott Field, Ill. (RH)	44	244	21	5	47		38	189	21	17	87		27	247																		
Stations Under 1000 Colored Strength	59	980	36	9	143	6	48	813	28	2	24	2	3	64	2																	

FOR STATIONS HAVING COLORED MALE STRENGTH OF 1000 OR OVER

FOR THE 4 WEEK PERIOD ENDING 26 April 1946

[illegible]

†ANNUAL RATES PER 1000 STRENGTH.

25 88642

